

ROOFING, WALLING & ACCESSORIES

RAINWATER GOODS, FASCIA

FLASHINGS

BATTENS, TOP HATS & STUD FRAMES

PURLINS & STRUCTURAL

COLORBOND® FENCING

HOME IMPROVEMENTS

INSULATED PANELS

TRANSLUCENT SHEETS

BLANKET, FASTENERS

ACCESSORIES



PRODUCT CATALOGUE

Contact:-

info@aussiesheetmetal.com.au

Ph. No# 07 3209 6119

Address: 21-23 Babdoye St, Loganholme

ABN 64 122 087 281

CONTENTS

	Manufacturing Lead Times	3
ROOFING, WALLING & ACCESSORIES	Roofing & Walling	4
	Roofing & Walling Fasteners	6
	Roofing Accessories	9
	Translucent Sheeting	13
RAINWATER GOODS	Custom Flashings	15
	Flashings	16
	Rain Heads & Sumps	19
	Fascia & Gutters	20
	Downpipes & Accessories	30
BATTENS, TOPHATS & STUD FRAMING	Ridges & Barges	31
	Rain Heads & Sumps	33
	Stud Framing	35
PURLINS & STRUCTURAL	Purlins & Girts	36
	Bridging & Accessories	38
	Brackets & Plates	41
FENCING	COLORBOND® Fencing	42
HOME IMPROVEMENTS	Patio Sheeting & Accessories	43
	Patio Beams & Columns	44
	Colour & Product Selection Tables	46
	Terms & Conditions of Sale	48
	ASM Vehicle Loading Guide	50
	ASM Delivery Map & Terms & Conditions	51

MANUFACTURING LEAD TIMES

Orders received after 12 pm will be processed on the following day. Pick-ups are possible next day for some items. Please confirm with Sales when order is placed.

All lead times are indicative only and may change to varying or abnormal workloads. Excludes Saturdays, Sundays and Public Holidays.

PRODUCT		ORDER CLOSE	DELIVER
ROOFING & WALLING	Corodek®	12PM	NEXT DAY
	Trimclad®	12PM	NEXT DAY
	Mini Corodek®	12PM	3 DAYS
	Metrib®/ Mini Panel®	12PM	3 DAYS
	Metlok 700®	12PM	2 DAYS
	Metroclad®	12PM	2 DAYS
	Metrospan®	12PM	NEXT DAY
RAINWATER GOODS	Fascia & Gutter	12PM	NEXT DAY
	Flashings	5PM	NEXT DAY
	Rain Heads & Sumps	12PM	2 DAYS
	Jobbing	12PM	2 DAYS
FENCING		12PM	2 DAYS
PATIOS		12PM	10 DAYS
BATTENS		12PM	NEXT DAY
SAFEBRIDGE® PURLIN SYSTEM		AS AGREED	

PRODUCT		ORDER CUT-OFF	ROLLING DAY	DELIVERY DAY
PURLINS	C/Z 100	10AM THURSDAY	MONDAY	TUESDAY
	C/Z 150	10AM FRIDAY	TUESDAY	WEDNESDAY
	C/Z 200	10AM MONDAY	WEDNESDAY	THURSDAY
	C/Z 250	10AM TUESDAY	THURSDAY	FRIDAY
	C/Z 300, 350, 400	10AM WEDNESDAY	FRIDAY	MON/TUES PENDING

PRODUCT COLOUR CODES

Code	Colorbond Colours
ARW	ARCTIC WHITE®
BAS	BASALT®
CGN	CATTAI GREEN®
CLC	CLASSIC CREAM®
CTG	COTTAGE GREEN®
COV	COVE®
DOC	DEEP OCEAN®
DUN	DUNE®
EVH	EVENING HAZE®
GLY	GULLY®
IST	IRONSTONE®
JAS	JASPER®
MGV	MANGROVE®
MNR	MANOR RED®
MON	MONUMENT®
NTS	NIGHT SKY®
PEC	PALE EUCALYPT®
PPB	PAPERBARK®
SHG	SHALE GREY™
SUR	SURF MIST®
TRN	TERRAIN®
WLB	WALLABY®
WSP	WINDSPRAY®
WDG	WOODLAND GREY®

TRANSLUCENT SHEETING

Code	Fibreglass	Code	Polycarbonate
CL	CLEAR	BR	BRONZE®
FG	FOREST GREEN®	CL	CLEAR®
HB	HEXHAM BROWN®	DT	DARK TINT®
LG	LIGHT GREEN®	GR	GREY®
OP	OPAL®	WN	OPAL®
PB	PACIFIC BLUE®	CC	SMOOTH CREAM®

ULTRA COLOURS

Code	Ultra Colours
ULT DOC	DEEP OCEAN®
ULT DUN	DUNE®
ULT MON	MONUMENT®
ULT SUR	SURF MIST®
ULT WLB	WALLABY®
ULT WSP	WINDSPRAY®
ULT WDG	WOODLAND GREY®

METALLIC COLOURS

Code	Colours
MET ARI	ARIES®
MET AST	ASTRO®
MET CEL	CELESTIAN®
MET COS	COSMIC®
MET GLC	GALACTIC®
MET RHE	RHEA®

MATT COLOURS

Code	Colours
MAT BAS	BASALT®
MAT DUN	DUNE®
MAT MON	MONUMENT®
MAT SHG	SHALE GREY®
MAT SUR	SURF MIST®

OTHER COLOURS






Code	Other
AL	ALUMINIUM®
WHN	WHITEHAVEN®
GALV	GALVABOND®
SS	STAINLESS STEEL®
ZA	ZINCALUME®

ROOF SHEETING

CB
UT
ZA
MT

Colorbond®
Ultra
Zincalume®
Matt

Min. Length: 500mm
Max. Length: Please enquire with ASM

PRODUCT	PRODUCT CODE*	CB	UT	ZA	MT	
CORODEK®						Cover: 762mm Sheet Height: 16mm Min. Pitch 5°
Hi Tensile 0.42 BMT Also available: Perforated 11% Zinc & 11% Surfmist®	ME42#CORODHTV	✓	✓	✓	✓	
Hi Tensile 0.48 BMT	ME48#CORODHTV	✓	✓	✓		
Double Sided Gloss 0.42 BMT						
White	ME42TWCORAKDSV	✓				
Cream	ME42CCCOROD-HDV	✓				
TRIMCLAD®						Cover: 762mm Sheet Height: 29mm Min. Pitch 2°
Hi Tensile 0.35 BMT	ME35#TRIMCHTV	✓	✓	✓		
Hi Tensile 0.42 BMT Also available: Perforated 11% Zinc & 11% Surfmist®	ME42#TRIMCHTV	✓	✓	✓	✓	
Double Sided Gloss 0.42 BMT						
White	ME42TWTRIMCDSV	✓				
Cream	ME42CCTTRIMCDSV	✓				
Hi Tensile 0.48 BMT	ME48#TRIMCHTV	✓	✓	✓		
METROSPAN®						Cover: 700mm Sheet Height: 24mm Min. Pitch: 2°
Hi Tensile 0.42 BMT Also available: Perforated 11% Zinc & 11% Surfmist®	ME42#METROHTV	✓	✓	✓	✓	
Hi Tensile 0.48 BMT	ME48#METROHTV	✓	✓	✓		
METLOK 700®						Cover: 700mm Sheet Height: 40mm Min. Pitch: 1°
Hi Tensile 0.42 BMT	ME42#METLK70V	✓	✓	✓	✓	
Hi Tensile 0.48 BMT	ME48#METLK70V	✓	✓	✓		
METLOK CLIPS & FASTENERS						
Metlok® Clip 700 Series	METCLIP700VG4					
Timber Fastener	T17 HX 12-11 x 25					Bare Class 3 Non-painted Concealed Head
Metal Fastener	Tek HX 12-14 x 30					



*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

WALL SHEETING


CB
UT
ZA
MT

Colorbond®
Ultra
Zincalume®
Matt

Min. Length: 500mm
Max. Length: Please enquire with ASM





PRODUCT	PRODUCT CODE*	CB	UT	ZA	MT	
MINI CORODEK® ALLOW 3 DAYS FROM ORDER FOR DELIVERY						Cover: 825mm Sheet Height: 6mm
Hi Tensile 0.42 BMT	ME42#MINICORV	✓	✓	✓	✓	
Hi Tensile 0.48 BMT	ME48#MINICORV	✓	✓	✓		
METRIB®/MINI PANEL® ALLOW 3 DAYS FROM ORDER FOR DELIVERY						Cover: 850mm Sheet Height: 4mm
Hi Tensile 0.35 BMT Classic Cream®, Paperbark® & Zinc only	ME35#MINIPANV	✓		✓		
Hi Tensile 0.42 BMT	ME42#MINIPANV	✓	✓	✓	✓	
Hi Tensile 0.48 BMT	ME48#MINIPANV	✓	✓	✓		
METROCLAD 850®						Cover: 850mm Sheet Height: 12mm
Hi Tensile 0.35 BMT	ME35#MTRCLADV	✓		✓		
Hi Tensile 0.35 Double Sided	ME35#MTRCLDSV	✓				
Hi Tensile 0.42 BMT	ME42#MTRCLADV	✓	✓	✓	✓	

CURVING & BULLNOSING


PRODUCT	PRODUCT CODE	CB	ZA	
CORODEK® CURVING QUALITY				Cover: 762mm Sheet Height: 16mm Min. Pitch: 5°
0.60 BMT	ME60COROXRW#V	✓	✓	

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

ROOFING & WALLING FASTENERS

ITEM	PRODUCT CODE	BOX QTY	
Rivets			
4-3 ALUMINIUM/STEEL RIVET DOME HEAD	IFRAS403D	1000	
5-4 M-GRIP ALUM/STEEL RIVET DOME HEAD	IFRASM502-4D	1000	
Steel Mates / Metal Tek®s - for fixing to purlins or steel 1.9mm up to 4mm			
10GX16MM STEELMATES WAFFER MGZA	IFSDR10016W	1000	
10GX22MM STEELMATES WAFFER MGZA	IFSDR10022W	1000	
12GX30MM STEELMATES HEX 30+	IFSDR12030H	1000	
10GX16MM STEELMATES HEX3 0+	IFSDR10016H	1000	
12GX20MM STEELMATES HEX 30+	IFSDR12020H	1000	
10GX16MM STEELMATES HEX SEAL 30+	IFSDR10016N		
12GX20MM STEELMATES HEX SEAL 30+	IFSDR12020N		
12GX53MM STEELMATES CREST-LOK 30+	IFSDR12053G		
12GX48MM STEELMATES CREST-LOK 30+	IFSDR12048G		
Fibreglass Tek®s - for fixing fibreglass sheets to purlins or steel 1.9mm up to 4mm			
14GX65MM STORMMATES GREY SEAL30+ SKYLIGHT ASSEMBL	IFWDR14065Z GREYSEAL	250	
14GX85MM STORMMATES GREY SEAL30+ SKYLIGHT ASSEMBL	IFWDR14085Z GREYSEAL	250	
Roof Mates - for fixing to metal battens, soft timber, or steel up to 1.9mm			
12GX40MM BATTENMATES HEX30+	IFSDR12040H	1000	
13GX25MM ROOFMATES HEX SEAL30+	IFSDR13025N	500	
13GX50MM ROOFMATES CREST-LOK30+	IFSDR13050G	1000	
13GX65MM ROOFMATES CREST-LOK30+	IFSDR13065G	1000	
10GX25MM RIPPLEMATES HEX CONVEX HEAD MINICORRY	IFSDR10024H	1000	
Timber Mates / Type 17s / Timber Fix - for fixing to all timber (pine or hardwood)			
14GX75MM TIMBERMATES BUGLE RIB GALVANIZED	IFTSR14075B	1000	
14GX100MM TIMBERMATES BUGLE RIB GALVANIZED	IFTSR14100B	1000	
12GX25MM TIMBERMATES HEX30+	IFTSR12025H	1000	
12GX25MM TIMBERMATES HEX SEAL30+	IFTSR12025N	1000	
10GX25MM TIMBERMATES HEX30+	IFTSR10025H	1000	
10GX25MM TIMBERMATES HEX SEAL30+	IFTSR10025N	1000	
12GX50MM TIMBERMATES HEX SEAL30+	IFTSR12050N	1000	
12GX65MM TIMBERMATES HEX SEAL30+	IFTSR12065N	1000	
14GX50MM TIMBERMATES HEX SEAL30+	IFTSR14050N	1000	
14GX65MM TIMBERMATES HEX SEAL30+	IFTSR14065N	1000	

ROOFING & WALLING FASTENERS

ITEM	PRODUCT CODE	BOX QTY	
Super 500 / Series 500 - for fixing to thicker gauge steel (over 4mm)			
12GX32MM STEELMATES SUPER500 HEX30+/EP++	IFS5R12032H	1000	
12GX32MM STEELMATES SUPER500 HEX SEAL 30+/EP++	IFS5R12032N	1000	
12GX38MM STEELMATES SUPER500 WAFER30+/EP++	IFS5R12038W	1000	
12GX50MM STEELMATES SUPER500 HEX30+/EP++	IFS5R12050H	1000	
12GX50MM STEELMATES SUPER500 HEX SEAL 30+/EP++	IFS5R12050N	1000	
12GX65MM STEELMATES SUPER500 HEX30+/EP++	IFS5R12065H	1000	
12GX65MM STEELMATES SUPER500 HEX SEAL 30+/EP++	IFS5R12065N	1000	
Cyclinic Screws & Long Series (Insulated Panel)			
14GX50MM TIMBERMATES HEX30+ & 25MM CYCL M/SEAL	IFTSR14050ZA27	250	
14GX115MM STEELMATES HEX30+ 25MM CYCL M/SEAL	IFSDR14115ZA27	250	
14GX135MM STEELMATES HEX30+ 25MM CYCL M/SEAL	IFSDR14135ZA27	250	
14GX150MM STEELMATES HEX30+ & 25MM CYCL M/SEAL	IFSDR14150ZA27	250	
14GX175MM STEELMATES HEX30+ 25MM CYCL M/SEAL	IFSDR14175ZA27	250	
14GX200MM STEELMATES SEAL30+ 25MM CYCL M/SEAL	IFSDR14200ZA27	250	
14GX125MM TIMBERMATES HEX30+ 25MM CYCL M/SEAL	IFTSR14125ZA27	250	
14GX150MM TIMBERMATES HEX30+ & 25MM CYCL M/SEAL	IFTSR14150ZA27	250	
14GX175MM TIMBERMATES HEX30+ 25MM CYCL M/SEAL	IFTSR14175ZA27	250	
14GX200MM TIMBERMATES HEX30+ 25MM CYCL M/SEAL	IFTSR14200ZA27	250	
14GX230MM TIMBERMATES HEX30+ 25MM CYCL M/SEAL	IFTSR14230ZA27	250	
CYCL ASSY METAL PLATE FOR CORRUGATED ROOF ZA	IFWSDS CYCCOPL		
CYCL ASSY EPDM SEAL FOR CORRO PROFILE DE-C18-B14A	IFWSDS CYC-COSEAL		
CYCL EMBOSSED WASHER FOR MULTI PROFILES 25MM	IFWSDS CYC-MULT25		
CYCL ASSY METAL PLATE FOR SQUARE RIB PROFILE ZA	IFWSDS CYCTDPL		
CYCL ASSY EPDM SEAL FOR SQUARE RIB DE-S35-B14-A	IFWSDS CYCTD-SEAL		

ROOFING & WALLING FASTENERS

ROOFING ACCESSORIES (Batts, Blankets & Wraps)


ITEM	DESCRIPTION	PRODUCT CODE
Fibreglass Building Blanket	60mm R1.3 LD Anticon	CS16139
	75mm R1.5 LD Acousticon	CS16072
	80mm R1.8 LD Anticon	CS107946
	100mm R2.3 LD Anticon	CS84860
	110mm R2.5 LD Anticon	CS83271
	130mm R3.0 LD Anticon	CS107946
	140mm R3.3 LD Anticon	CS102252
	145mm R3.6 LD Anticon	CS15630
	60mm R1.3 MD Anticon	CS107946
	80mm R1.8 MD Anticon	CS15629
	100mm R2.3 MD Anticon	CS84859
	110mm R2.5 MD Anticon	CS107946
	130mm R3.0 MD Anticon	CS102312
	140mm R3.3 MD Anticon	CS102311
	145mm R3.6 MD Anticon	CS107946
	60mm R1.3 HD Anticon	CS16106
	80mm R1.8 HD Anticon	CS15359
	100mm R2.3 HD Anticon	CS107946
	110mm R2.5 HD Anticon	CS84891
	130mm R3.0 HD Anticon	CS121280
Insulation Batts	145mm R3.6 HD Anticon	
	R2.5 Ceiling Batts, 140mm x 1160mm x 430mm (8m ² – 16)	CS111720
	R2.5 Ceiling Batts, 140mm x 1160mm x 580mm (10.8m ² – 16))	CS111719
	R3.0 Ceiling Batts, 165mm x 1160mm x 430mm (8m ² – 16)	CS15226
	R3.0 Ceiling Batts, 165mm x 1160mm x 580mm (10.8m ² – 16)	CS15256
	WALL BATTS	
	R1.5 Wall Batts, 75mm x 1160mm x 430mm (11m ² – 22)	CS111727
	R1.5 Wall Batts, 75mm x 1160mm x 580mm (14.8m ² – 22)	CS111726
	R2.0 Wall Batts, 90mm x 1160mm x 430mm (11m ² – 22)	CS15250
	R2.0 Wall Batts, 90mm x 1160mm x 580mm (12.1m ² – 18)	CS15229
Fire Gasket Material	Fireseal Wall Batts 168mm x 100mm x 1.2m (5/pack)	CS119161
	Fireseal Wall Sealer 300mm x 50mm x 4m (2/pack)	CS123443
	Fireseal Wall Sealer 300mm x 75mm x 4m (2/pack)	CS123444
	Multitel BAL 12.5-40 BKT 25mm x 20mtr (4 x 300mm wide roll/Pk)	CS100061

ROOFING ACCESSORIES

Batts, Blankets, Wraps & Insulation

ITEM	DESCRIPTION	PRODUCT CODE
Building Wrap/Fabrics	Thermoseal Roof Metal Wall LD Kraft Paper (1350mm x 60mtr)	CS15056
	Thermoseal MD 733 Foil (1350mm x 60mtr (81m2)	CS15061
	Thermoseal HD 753 Foil (1350mm x 60mtr	CS15091
	White Thermoplast Sarking (1350mm x 60mtr)	CS183007
	Black Thermoplast Sarking (1350mm x 60mtr)	CS123643
	Enviroseal HTS Roof Sarking (1350mm x 30mtr)	CS185381
	Thermoseal Resiwrap (1350mm x 60mtr)	CS108004
	Thermoseal Prime Wall Wrap (1350mm x 60mtr)	CS169232
	Thermoseal Wall Wrap XP (1350mm x 60mtr)	CS124652
	Thermoseal Firespec (1500mm x 30mtr)	CS164674
	Enviroseal RW (1500mm x 50mtr)	CS118153
	Enviroseal CW (1500mm x 50mtr)	CS114175
Safety Wire	Safety Wire 1.8 x 50m	CS17387
	Safety Wire 2.4 x 50m	CS87262
Roof Spacers	60mm SpacerX (10 x 700mm bars per carton)	CS176898
	80mm SpacerX (10 x 700mm bars per carton)	CS176899
	120mm SpacerX (10 x 700mm bars per carton)	CS176900
	40mm SpacerX Starter Block (10/carton)	CS177185
	60mm SpacerX Starter Block (10/carton)	CS177186
	80mm SpacerX Starter Block (10/carton)	CS177187
	120mm SpacerX Starter Block (10/carton)	CS177188
	60mm Ashgrid Roof Spacer (12x 1.2m bars per carton)	CS124865
	80mm Ashgrid Roof Spacer (12x 1.2m bars per carton)	CS124864
	110mm Ashgrid Roof Spacer (12 x 1.2m bars per carton)	CS124863
	120mm Ashgrid Roof Spacer (12 x 1.2m bars per carton)	CS124862

ROOFING ACCESSORIES

ITEM	DESCRIPTION	PRODUCT CODE*	
Foil Tacks	Box of 3000		
Tapes	24mm x 23mtr Double Sided Cloth Tape	CS17645	
	48mm x 50mtr Reinforced Foil Tape	CS17366	
	72mm x 50mtr Reinforced Foil Tape	CS17369	
	72mm x 35mtr WHT/BLK Tape	CS180812/134143	
	96mm x 35mtr WHT/BLK Tape	CS180813/134144	
	Thermal Break Tape 60mm x 10mtr	CS113788	
	Thermoseal Fixing Clips Metal Fasteners (500/box)	CS17340	
	Safety Mesh Fasteners/Staples (1000/box)	CS151954	
	Enviroseal High Tack Tape 60mm x 25mtr	CS155170	
	Enviroseal Double Sided Tape 24mm x 50mtr	CS121430	
Spray Paint	COLORBOND® Colours, 150g Aerosol	PAINT###	
Silicone	Tube Size 300g (Clear). Box of 20	SILICONECLEAR	
	Tube Size 300g (Grey). Box of 20	SILICONE-GREY	
Roofing Wire	Roof Safety Mesh 300 x 150 x 2.0mm. 1.8m x 50m Rol	ROOFSAFE1800	
Eaves Filler Strip	Corodek® 915mm long	MEEAVFILLCORO	
	Trimclad® Bottom 915mm long	MEEAVFILLTRIMR/E	
	Trimclad® Top 915mm long	MEEAVFILLHIDER/E	
	Metrospan® Infill 700mm long	MEEAVEFILLMETS	
	Metlok 700® Bottom	MEEAVFILLMET7BOT	
	Metlok 700® Top	MEEAVFILLMET7TOP	
Turn Up/Down Tool Kit	7 Piece Kit Contains: 4 Interchangeable Heads 2 x 550mm Handles 2 x 250mm Handles Attachment for Tray Decks Attachment for 5 Rib Sheets Storage Container	METURNUP/DOWN	
Box Gutter Adjustable Support Brackets	250 - 400mm ZINC	BGBKTADJ0-400	
	400 - 650mm ZINC	BGBKTADJ401-600	
	650 - 1000mm ZINC	BGBKTADJ601-800	
Box Gutter Support Board	600 W x 6.5m L ZINC	BGBRD600	

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.




ROOFING ACCESSORIES

ITEM	DESCRIPTION	BLACK	RED	PRODUCT CODE
Combo Dektites Round - Suit Standard or Retrofit Applications	PIPE FLASHING BLACK EPDM NO 1 COMBO 5-60MM	✓		IFFLASH-PIPE-BLACK-DC01
			✓	IFFLASH-PIPE-RED-DC01
	PIPE FLASHING BLACK EPDM NO 2 COMBO 45-85MM	✓		IFFLASH-PIPE-BLACK-DC02
			✓	IFFLASH-PIPE-RED-DC02
	PIPE FLASHING BLACK EPDM NO 3 COMBO 5-127MM	✓		IFFLASH-PIPE-BLACK-DC03
			✓	IFFLASH-PIPE-RED-DC03
	PIPE FLASHING BLACK EPDM NO 4 COMBO 75-175MM	✓		IFFLASH-PIPE-BLACK-DC04
			✓	IFFLASH-PIPE-RED-DC04
	PIPE FLASHING BLACK EPDM NO 5 COMBO 108-190MM	✓		IFFLASH-PIPE-BLACK-DC05
			✓	IFFLASH-PIPE-RED-DC05
	PIPE FLASHING BLACK EPDM NO 6 COMBO 125-230MM	✓		IFFLASH-PIPE-BLACK-DC06
			✓	IFFLASH-PIPE-RED-DC06
Expansion Flashing	PIPE FLASHING BLACK EPDM NO 7 COMBO 150-280MM	✓		IFFLASH-PIPE-BLACK-DC07
			✓	IFFLASH-PIPE-RED-DC07
	PIPE FLASHING BLACK EPDM NO 8 COMBO 175-330MM	✓		IFFLASH-PIPE-BLACK-DC08
			✓	IFFLASH-PIPE-RED-DC08
	PIPE FLASHING BLACK EPDM NO 9 COMBO 240-508MM	✓		IFFLASH-PIPE-BLACK-DC09
			✓	IFFLASH-PIPE-RED-DC09
	PIPE FLASHING BLACK EPDM NO 10 COMBO 400-750MM	✓		IFFLASH-PIPE-BLACK-DC10
			✓	IFFLASH-PIPE-RED-DC10
	BOX GUTTER EXPANSION STRIP FLASHING 145MM X5MTR	✓		IFFLASH-ESJ145-5
	PIPE FLASHING BLACK EPDM NO 5 100-150MM SQUARE	✓		IFFLASH-SQUARE-BLACK-AQ05
	PIPE FLASH BLACK EPDM NO 3 COMBO 25-125MM SQUARE	✓		IFFLASH-SQUARE-BLACK-DCS03

ITEM	DESCRIPTION	PRODUCT CODE*	ZA	CB	
Non-Vented Skylights with Prismatic Diffuser & Flexible Shaft	300mm - Colorbond®	MESKYLIGHT-300CB		✓	
	300mm - Zinalume®	MESKYLIGHT-300PL	✓		

ROOFING ACCESSORIES






*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

ITEM	DESCRIPTION	PRODUCT CODE*	ZA	CB	
Vented Skylights with Prismatic Diffuser & Flexible Shaft	300mm - Colorbond®	SKYLIGHTV300CB		✓	
	300mm - Zinalume®	SKYLIGHTV300PL	✓		
	400mm - Colorbond®	SKYLIGHT400CB		✓	
	400mm - Zinalume®	SKYLIGHT400PL	✓		
	500mm - Colorbond®	SKYLIGHTV500CB		✓	
	500mm - Zinalume®	SKYLIGHTV500PL	✓		
Roof Vents	Windmaster Mill Finish	CS61141	✓	✓	
	Sparkguard	CS61423	✓	✓	
	450mm Standard Complete Mill Finish	CS61556	✓	✓	
	600mm Standard Complete Mill Finish	CS61608	✓	✓	
	900mm Standard Complete Mill Finish	CS61686	✓	✓	
	450mm Standard Complete Powder Coated	CS600672	✓	✓	
	600mm Standard Complete Powder Coated	CS600674	✓	✓	
	900mm Standard Complete Powder Coated	CS600677	✓	✓	
Sparkguard 300	300mm protective mesh designed to fit into the throat of 300mm wind powered ventilators to prevent embers entering the internal roof space. Constructed from stainless steel.	CS61423			
ITEM	DESCRIPTION	PRODUCT CODE*			
Closed Top Vent Ridge ALLOW 2 DAYS FROM ORDER FOR DELIVERY	300mm Throat	RIDGEVENT55##300CT			
	450mm Throat	RIDGEVENT55##450CT			
	600mm Throat	RIDGEVENT55##600CT			
	750mm Throat	RIDGEVENT55##750CT			
	900mm Throat	RIDGEVENT55##900CT			
	1200mm Throat	RIDGEVENT55##1200CT			
Open Top Vent Ridge ALLOW 2 DAYS FROM ORDER FOR DELIVERY	300mm Throat	RIDGEVENT55##300OT			
	450mm Throat	RIDGEVENT55##450OT			
	600mm Throat	RIDGEVENT55##600OT			
	750mm Throat	RIDGEVENT55##750OT			
	900mm Throat	RIDGEVENT55##900OT			
	1200mm Throat	RIDGEVENT55##1200OT			

TRANSLUCENT SHEETING

Fibreglass

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

ITEM	DETAIL	OP OPAL	CL CLEAR	FG FOREST GREEN	HB HEXHAM BROWN	PB PACIFIC BLUE	LG LIGHT GREEN	PRODUCT CODE*	
FIBREGLASS									
Corodek® Max. length 12.2m	2400 gsm	✓	✓	✓	✓	✓	✓	TS2400##CORV	
	3050 gsm	✓	✓	✓	✓	✓	✓	TS3050##CORV	
Trimclad® Max. length 12.2m	2400 gsm	✓	✓	✓	✓	✓	✓	TS2400##TRIV	
	3050 gsm	✓	✓	✓	✓	✓	✓	TS3050##TRIV	
Metrospan® Max. length 12.2m	2400 gsm	✓	✓					TS2400##MSPV	
	3050 gsm	✓						TS3050##MSPV	
Metlok 700® Max. length 12.2m	2400 gsm	✓	✓	✓	✓	✓	✓	TS2400##M70V	
Aussie Deck Rooflite	4m 3050 gsm	✓						AOROOFLITE40OP	
	6m 3050 gsm	✓						AOROOFLITE60OP	
	7.5m 3050 gsm	✓						AOROOFLITE75OP	

TRANSLUCENT SHEETING

Polycarbonate

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

ITEM	LENGTH	OP OPAL	CL CLEAR	BR BRONZE	GR GREY	DT DARK TNT	CC SMOOTH CREAM	PRODUCT CODE*	
POLYCARBONATE									
Roma Matches Corodek®	1.8m	✓	✓	✓	✓	✓	✓	POLYROM##18	
	2.4m	✓	✓	✓	✓	✓	✓	POLYROM##24	
	2.7m	✓	✓	✓	✓	✓	✓	POLYROM##27	
	3.0m	✓	✓	✓	✓	✓	✓	POLYROM##30	
	3.6m	✓	✓	✓	✓	✓	✓	POLYROM##36	
	4.2m	✓	✓	✓	✓	✓	✓	POLYROM##42	
	4.8m	✓	✓	✓	✓	✓	✓	POLYROM##48	
	5.4m	✓	✓	✓	✓	✓	✓	POLYROM##54	
	6.0m	✓	✓	✓	✓	✓	✓	POLYROM##60	
	7.2m	✓	✓	✓	✓	✓		POLYROM##72	
	8.1m	✓	✓	✓	✓	✓		POLYROM##81	
Greca Matches Metrospan®	1.8m	✓	✓	✓	✓	✓	✓	POLYGRC##18	
	2.4m	✓	✓	✓	✓	✓	✓	POLYGRC##24	
	2.7m	✓	✓	✓	✓	✓	✓	POLYGRC##27	
	3.0m	✓	✓	✓	✓	✓	✓	POLYGRC##30	
	3.6m	✓	✓	✓	✓	✓	✓	POLYGRC##36	
	4.2m	✓	✓	✓	✓	✓	✓	POLYGRC##42	
	4.8m	✓	✓	✓	✓	✓	✓	POLYGRC##48	
	5.4m	✓	✓	✓	✓	✓	✓	POLYGRC##54	
	6.0m	✓	✓	✓	✓	✓	✓	POLYGRC##60	
	7.2m	✓		✓	✓	✓		POLYGRC##72	
	8.1m	✓		✓	✓	✓		POLYGRC##81	
5 Rib Matches Trimclad®	1.8m	✓	✓	✓	✓	✓	✓	POLYTRI##18	
	2.4m	✓	✓	✓	✓	✓	✓	POLYTRI##24	
	2.7m	✓	✓	✓	✓	✓	✓	POLYTRI##27	
	3.0m	✓	✓	✓	✓	✓	✓	POLYTRI##30	
	3.6m	✓	✓	✓	✓	✓	✓	POLYTRI##36	
	4.2m	✓	✓	✓	✓	✓	✓	POLYTRI##42	
	4.8m	✓	✓	✓	✓	✓	✓	POLYTRI##48	
	5.4m	✓	✓	✓	✓	✓	✓	POLYTRI##54	
	6.0m	✓	✓	✓	✓	✓	✓	POLYTRI##60	
	7.2m	✓	✓	✓	✓	✓		POLYTRI##72	
	8.1m	✓	✓	✓	✓	✓		POLYTRI##81	

RAINWATER GOODS

Custom Flashings

Type 1 	Type 2 	Type 3 	Type 4 	Type 5 	Type 6
Type 7 	Type 8 	Type 9 	Type 10 	Type 11 	Type 12
Type 13 	Type 14 	Type 15 	Type 16 	Type 17 	Type 18
Type 19 	Type 20 	Type 21 	Type 22 	Type 23 	Type 24
Type 25 	Type 26 	Type 27 	Type 28 	Type 29 	Type 30
Type 31 	Type 32 	Type 33 	Type 34 	Type 35 	SPECIAL

FLASHINGS

0.55MM

BENDS	CODE*	ZA	CB	SS	MT	UT	BENDS	CODE*	ZA	CB	SS	MT	UT	BENDS	CODE*	ZA	CB	SS	MT	UT
10mm GIRTH	0 FLAT55##100	✓	✓	✓	✓	✓	400mm GIRTH	0 FLAT55##400	✓	✓	✓	✓	✓	800mm GIRTH	0 FLAT55##800	✓	✓	✓	✓	✓
	1 FLASH55##1/100	✓	✓	✓	✓	✓		1 FLASH55##1/400	✓	✓	✓	✓	✓		1 FLASH55##1/800	✓	✓	✓	✓	✓
	2 FLASH55##2/100	✓	✓	✓	✓	✓		2 FLASH55##2/400	✓	✓	✓	✓	✓		2 FLASH55##2/800	✓	✓	✓	✓	✓
	3 FLASH55##3/100	✓	✓	✓	✓	✓		3 FLASH55##3/400	✓	✓	✓	✓	✓		3 FLASH55##3/800	✓	✓	✓	✓	✓
	4 FLASH55##4/100	✓	✓	✓	✓	✓		4 FLASH55##4/400	✓	✓	✓	✓	✓		4 FLASH55##4/800	✓	✓	✓	✓	✓
	5 FLASH55##5/100	✓	✓	✓	✓	✓		5 FLASH55##5/400	✓	✓	✓	✓	✓		5 FLASH55##5/800	✓	✓	✓	✓	✓
	6 FLASH55##6/100	✓	✓	✓	✓	✓		6 FLASH55##6/400	✓	✓	✓	✓	✓		6 FLASH55##6/800	✓	✓	✓	✓	✓
	7 FLASH55##7/100	✓	✓	✓	✓	✓		7 FLASH55##7/400	✓	✓	✓	✓	✓		7 FLASH55##7/800	✓	✓	✓	✓	✓
	8 FLASH55##8/100	✓	✓	✓	✓	✓		8 FLASH55##8/400	✓	✓	✓	✓	✓		8 FLASH55##8/800	✓	✓	✓	✓	✓
	9 FLASH55##9/100	✓	✓	✓	✓	✓		9 FLASH55##9/400	✓	✓	✓	✓	✓		9 FLASH55##9/800	✓	✓	✓	✓	✓
200mm GIRTH	10 FLASH55##10/100	✓	✓	✓	✓	✓	500mm GIRTH	10 FLASH55##9/400	✓	✓	✓	✓	✓	1000mm GIRTH	10 FLASH55##10/800	✓	✓	✓	✓	✓
	0 FLAT55##200	✓	✓	✓	✓	✓		0 FLAT55##500	✓	✓	✓	✓	✓		0 FLAT55##1000	✓	✓	✓	✓	✓
	1 FLASH55##1/200	✓	✓	✓	✓	✓		1 FLASH55##1/500	✓	✓	✓	✓	✓		1 FLASH55##1/1000	✓	✓	✓	✓	✓
	2 FLASH55##2/200	✓	✓	✓	✓	✓		2 FLASH55##2/500	✓	✓	✓	✓	✓		2 FLASH55##2/1000	✓	✓	✓	✓	✓
	3 FLASH55##3/200	✓	✓	✓	✓	✓		3 FLASH55##3/500	✓	✓	✓	✓	✓		3 FLASH55##3/1000	✓	✓	✓	✓	✓
	4 FLASH55##4/200	✓	✓	✓	✓	✓		4 FLASH55##4/500	✓	✓	✓	✓	✓		4 FLASH55##4/1000	✓	✓	✓	✓	✓
	5 FLASH55##5/200	✓	✓	✓	✓	✓		5 FLASH55##5/500	✓	✓	✓	✓	✓		5 FLASH55##5/1000	✓	✓	✓	✓	✓
	6 FLASH55##6/200	✓	✓	✓	✓	✓		6 FLASH55##6/500	✓	✓	✓	✓	✓		6 FLASH55##6/1000	✓	✓	✓	✓	✓
	7 FLASH55##7/200	✓	✓	✓	✓	✓		7 FLASH55##7/500	✓	✓	✓	✓	✓		7 FLASH55##7/1000	✓	✓	✓	✓	✓
	8 FLASH55##8/200	✓	✓	✓	✓	✓		8 FLASH55##8/500	✓	✓	✓	✓	✓		8 FLASH55##8/1000	✓	✓	✓	✓	✓
300mm GIRTH	9 FLASH55##9/200	✓	✓	✓	✓	✓	600mm GIRTH	9 FLASH55##9/500	✓	✓	✓	✓	✓	1200mm GIRTH	9 FLASH55##9/1000	✓	✓	✓	✓	✓
	10 FLASH55##10/200	✓	✓	✓	✓	✓		10 FLASH55##10/500	✓	✓	✓	✓	✓		10 FLASH55##10/1000	✓	✓	✓	✓	✓
	0 FLAT55##300	✓	✓	✓	✓	✓		0 FLAT55##600	✓	✓	✓	✓	✓		0 FLAT55##0/1200	✓	✓	✓	✓	✓
	1 FLASH55##1/300	✓	✓	✓	✓	✓		1 FLASH55##1/600	✓	✓	✓	✓	✓		1 FLASH55##1/1200	✓	✓	✓	✓	✓
	2 FLASH55##2/300	✓	✓	✓	✓	✓		2 FLASH55##2/600	✓	✓	✓	✓	✓		2 FLASH55##2/1200	✓	✓	✓	✓	✓
	3 FLASH55##3/300	✓	✓	✓	✓	✓		3 FLASH55##3/600	✓	✓	✓	✓	✓		3 FLASH55##3/1200	✓	✓	✓	✓	✓
	4 FLASH55##4/300	✓	✓	✓	✓	✓		4 FLASH55##4/600	✓	✓	✓	✓	✓		4 FLASH55##4/1200	✓	✓	✓	✓	✓
	5 FLASH55##5/300	✓	✓	✓	✓	✓		5 FLASH55##5/600	✓	✓	✓	✓	✓		5 FLASH55##5/1200	✓	✓	✓	✓	✓
	6 FLASH55##6/300	✓	✓	✓	✓	✓		6 FLASH55##6/600	✓	✓	✓	✓	✓		6 FLASH55##6/1200	✓	✓	✓	✓	✓
	7 FLASH55##7/300	✓	✓	✓	✓	✓		7 FLASH55##7/600	✓	✓	✓	✓	✓		7 FLASH55##7/1200	✓	✓	✓	✓	✓
	8 FLASH55##8/300	✓	✓	✓	✓	✓		8 FLASH55##8/600	✓	✓	✓	✓	✓		8 FLASH55##8/1200	✓	✓	✓	✓	✓
	9 FLASH55##9/300	✓	✓	✓	✓	✓		9 FLASH55##9/600	✓	✓	✓	✓	✓		9 FLASH55##9/1200	✓	✓	✓	✓	✓
	10 FLASH55##10/300	✓	✓	✓	✓	✓		10 FLASH55##10/600	✓	✓	✓	✓	✓		10 FLASH55##10/1200	✓	✓	✓	✓	✓

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

ZA = ZINCALUME
CB = COLORBOND
SS = STAINLESS STEEL
MT = COLORBOND MATT
UT = COLORBOND ULTRA

1.0MM

BENDS	CODE*	ZA	SUR	GA	BENDS	CODE*	ZA	SUR	GA	BENDS	CODE*	ZA	SUR	GA
100mm GIRTH	0 FLAT1.0##100	✓	✓	✓	400mm GIRTH	0 FLAT1.0##400	✓	✓	✓	1200mm GIRTH	0 FLAT1.0##1200	✓	✓	✓
	1 FLASH1.0##1/100	✓	✓	✓		1 FLASH1.0##1/400	✓	✓	✓		1 FLASH1.0##1/1200	✓	✓	✓
	2 FLASH1.0##2/100	✓	✓	✓		2 FLASH1.0##2/400	✓	✓	✓		2 FLASH1.0##2/1200	✓	✓	✓
	3 FLASH1.0##3/100	✓	✓	✓		3 FLASH1.0##3/400	✓	✓	✓		3 FLASH1.0##3/1200	✓	✓	✓
	4 FLASH1.0##4/100	✓	✓	✓		4 FLASH1.0##4/400	✓	✓	✓		4 FLASH1.0##4/1200	✓	✓	✓
	5 FLASH1.0##5/100	✓	✓	✓		5 FLASH1.0##5/400	✓	✓	✓		5 FLASH1.0##5/1200	✓	✓	✓
	6 FLASH1.0##6/100	✓	✓	✓		6 FLASH1.0##6/400	✓	✓	✓		6 FLASH1.0##6/1200	✓	✓	✓
	7 FLASH1.0##7/100	✓	✓	✓		7 FLASH1.0##7/400	✓	✓	✓		7 FLASH1.0##7/1200	✓	✓	✓
	8 FLASH1.0##8/100	✓	✓	✓		8 FLASH1.0##8/400	✓	✓	✓		8 FLASH1.0##8/1200	✓	✓	✓
	9 FLASH1.0##9/100	✓	✓	✓		9 FLASH1.0##9/400	✓	✓	✓		9 FLASH1.0##9/1200	✓	✓	✓
	10 FLASH1.0##10/100	✓	✓	✓		10 FLASH1.0##10/400	✓	✓	✓		10 FLASH1.0##10/1200	✓	✓	✓
200mm GIRTH	0 FLAT1.0##200	✓	✓	✓	600mm GIRTH	0 FLAT1.0##600	✓	✓	✓	ZA = ZINCALUME® CB = COLORBOND® SS = STAINLESS STEEL MT = COLORBOND® MATT UT = COLORBOND® ULTRA				
	1 FLASH1.0##1/200	✓	✓	✓		1 FLASH1.0##1/600	✓	✓	✓					
	2 FLASH1.0##2/200	✓	✓	✓		2 FLASH1.0##2/600	✓	✓	✓					
	3 FLASH1.0##3/200	✓	✓	✓		3 FLASH1.0##3/600	✓	✓	✓					
	4 FLASH1.0##4/200	✓	✓	✓		4 FLASH1.0##4/600	✓	✓	✓					
	5 FLASH1.0##5/200	✓	✓	✓		5 FLASH1.0##5/600	✓	✓	✓					
	6 FLASH1.0##6/200	✓	✓	✓		6 FLASH1.0##6/600	✓	✓	✓					
	7 FLASH1.0##7/200	✓	✓	✓		7 FLASH1.0##7/600	✓	✓	✓					
	8 FLASH1.0##8/200	✓	✓	✓		8 FLASH1.0##8/600	✓	✓	✓					
	9 FLASH1.0##9/200	✓	✓	✓		9 FLASH1.0##9/600	✓	✓	✓					
	10 FLASH1.0##10/200	✓	✓	✓		10 FLASH1.0##10/600	✓	✓	✓					
300mm GIRTH	0 FLAT1.0##300	✓	✓	✓	900mm GIRTH	0 FLAT1.0##900	✓	✓	✓					
	1 FLASH1.0##1/300	✓	✓	✓		1 FLASH1.0##1/900	✓	✓	✓					
	2 FLASH1.0##2/300	✓	✓	✓		2 FLASH1.0##2/900	✓	✓	✓					
	3 FLASH1.0##3/300	✓	✓	✓		3 FLASH1.0##3/900	✓	✓	✓					
	4 FLASH1.0##4/300	✓	✓	✓		4 FLASH1.0##4/900	✓	✓	✓					
	5 FLASH1.0##5/300	✓	✓	✓		5 FLASH1.0##5/900	✓	✓	✓					
	6 FLASH1.0##6/300	✓	✓	✓		6 FLASH1.0##6/900	✓	✓	✓					
	7 FLASH1.0##7/300	✓	✓	✓		7 FLASH1.0##7/900	✓	✓	✓					
	8 FLASH1.0##8/300	✓	✓	✓		8 FLASH1.0##8/900	✓	✓	✓					
	9 FLASH1.0##9/300	✓	✓	✓		9 FLASH1.0##9/900	✓	✓	✓					
	10 FLASH1.0##10/300	✓	✓	✓		10 FLASH1.0##10/900	✓	✓	✓					

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

1.2MM

	BENDS	CODE**	ZA	SM*	GA
100mm GIRTH	0	FLAT1.2##100	✓	✓	✓
	1	FLASH1.2##1/100	✓	✓	✓
	2	FLASH1.2##2/100	✓	✓	✓
	3	FLASH1.2##3/100	✓	✓	✓
	4	FLASH1.2##4/100	✓	✓	✓
	5	FLASH1.2##5/100	✓	✓	✓
	6	FLASH1.2##6/100	✓	✓	✓
	7	FLASH1.2##7/100	✓	✓	✓
	8	FLASH1.2##8/100	✓	✓	✓
	9	FLASH1.2##9/100	✓	✓	✓
200mm GIRTH	10	FLASH1.2##10/100	✓	✓	✓
	0	FLAT1.2##200	✓	✓	✓
	1	FLASH1.2##1/200	✓	✓	✓
	2	FLASH1.2##2/200	✓	✓	✓
	3	FLASH1.2##3/200	✓	✓	✓
	4	FLASH1.2##4/200	✓	✓	✓
	5	FLASH1.2##5/200	✓	✓	✓
	6	FLASH1.2##6/200	✓	✓	✓
	7	FLASH1.2##7/200	✓	✓	✓
	8	FLASH1.2##8/200	✓	✓	✓
300mm GIRTH	9	FLASH1.2##9/200	✓	✓	✓
	10	FLASH1.2##10/200	✓	✓	✓
	0	FLAT1.2##300	✓	✓	✓
	1	FLASH1.2##1/300	✓	✓	✓
	2	FLASH1.2##2/300	✓	✓	✓
	3	FLASH1.2##3/300	✓	✓	✓
	4	FLASH1.2##4/300	✓	✓	✓
	5	FLASH1.2##5/300	✓	✓	✓
	6	FLASH1.2##6/300	✓	✓	✓
	7	FLASH1.2##7/300	✓	✓	✓
400mm GIRTH	8	FLASH1.2##8/300	✓	✓	✓
	9	FLASH1.2##9/300	✓	✓	✓
	10	FLASH1.2##10/300	✓	✓	✓
	0	FLAT1.2##400	✓	✓	✓
	1	FLASH1.2##1/400	✓	✓	✓
	2	FLASH1.2##2/400	✓	✓	✓
	3	FLASH1.2##3/400	✓	✓	✓
	4	FLASH1.2##4/400	✓	✓	✓
	5	FLASH1.2##5/400	✓	✓	✓
	6	FLASH1.2##6/400	✓	✓	✓
	7	FLASH1.2##7/400	✓	✓	✓
	8	FLASH1.2##8/400	✓	✓	✓
	9	FLASH1.2##9/400	✓	✓	✓
	10	FLASH1.2##10/400	✓	✓	✓

	BENDS	CODE**	ZA	SM*	GA
600mm GIRTH	0	FLAT1.2##600	✓	✓	✓
	1	FLASH1.2##1/600	✓	✓	✓
	2	FLASH1.2##2/600	✓	✓	✓
	3	FLASH1.2##3/600	✓	✓	✓
	4	FLASH1.2##4/600	✓	✓	✓
	5	FLASH1.2##5/600	✓	✓	✓
	6	FLASH1.2##6/600	✓	✓	✓
	7	FLASH1.2##7/600	✓	✓	✓
	8	FLASH1.2##8/600	✓	✓	✓
	9	FLASH1.2##9/600	✓	✓	✓
900mm GIRTH	10	FLASH1.2##10/600	✓	✓	✓
	0	FLAT1.2##900	✓	✓	✓
	1	FLASH1.2##1/900	✓	✓	✓
	2	FLASH1.2##2/900	✓	✓	✓
	3	FLASH1.2##3/900	✓	✓	✓
	4	FLASH1.2##4/900	✓	✓	✓
	5	FLASH1.2##5/900	✓	✓	✓
	6	FLASH1.2##6/900	✓	✓	✓
	7	FLASH1.2##7/900	✓	✓	✓
	8	FLASH1.2##8/900	✓	✓	✓
1200mm GIRTH	9	FLASH1.2##9/900	✓	✓	✓
	10	FLASH1.2##10/900	✓	✓	✓
	0	FLAT1.2##1200	✓	✓	✓
	1	FLASH1.2##1/1200	✓	✓	✓
	2	FLASH1.2##2/1200	✓	✓	✓
	3	FLASH1.2##3/1200	✓	✓	✓
	4	FLASH1.2##4/1200	✓	✓	✓
	5	FLASH1.2##5/1200	✓	✓	✓
	6	FLASH1.2##6/1200	✓	✓	✓
	7	FLASH1.2##7/1200	✓	✓	✓
	8	FLASH1.2##8/1200	✓	✓	✓
	9	FLASH1.2##9/1200	✓	✓	✓
	10	FLASH1.2##10/1200	✓	✓	✓

ZA = ZINCALUME®
 CB = COLORBOND®
 SS = STAINLESS STEEL
 MT = COLORBOND® MATT
 UT = COLORBOND® ULTRA

**USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

1.6MM

	BENDS	CODE	GALV.
100mm GIRTH	0	FLAT1.6GALV0/100	✓
	1	FLASH1.6GALV1/100	✓
	2	FLASH1.6GALV2/100	✓
	3	FLASH1.6GALV3/100	✓
	4	FLASH1.6GALV4/100	✓
	5	FLASH1.6GALV5/100	✓
	6	FLASH1.6GALV6/100	✓
	7	FLASH1.6GALV7/100	✓
	8	FLASH1.6GALV8/100	✓
	9	FLASH1.6GALV9/100	✓
	10	FLASH1.6GALV10/100	✓
200mm GIRTH	0	FLAT1.6GALV0/200	✓
	1	FLASH1.6GALV1/200	✓
	2	FLASH1.6GALV2/200	✓
	3	FLASH1.6GALV3/200	✓
	4	FLASH1.6GALV4/200	✓
	5	FLASH1.6GALV5/200	✓
	6	FLASH1.6GALV6/200	✓
	7	FLASH1.6GALV7/200	✓
	8	FLASH1.6GALV8/200	✓
	9	FLASH1.6GALV9/200	✓
	10	FLASH1.6GALV10/200	✓
300mm GIRTH	0	FLAT1.6GALV0/300	✓
	1	FLASH1.6GALV1/300	✓
	2	FLASH1.6GALV2/300	✓
	3	FLASH1.6GALV3/300	✓
	4	FLASH1.6GALV4/300	✓
	5	FLASH1.6GALV5/300	✓
	6	FLASH1.6GALV6/300	✓
	7	FLASH1.6GALV7/300	✓
	8	FLASH1.6GALV8/300	✓
	9	FLASH1.6GALV9/300	✓
	10	FLASH1.6GALV10/300	✓
400mm GIRTH	0	FLAT1.6GALV0/400	✓
	1	FLASH1.6GALV1/400	✓
	2	FLASH1.6GALV2/400	✓
	3	FLASH1.6GALV3/400	✓
	4	FLASH1.6GALV4/400	✓
	5	FLASH1.6GALV5/400	✓
	6	FLASH1.6GALV6/400	✓
	7	FLASH1.6GALV7/400	✓
	8	FLASH1.6GALV8/400	✓
	9	FLASH1.6GALV9/400	✓
	10	FLASH1.6GALV10/400	✓

	BENDS	CODE	GALV.
600mm GIRTH	0	FLAT1.6GALV0/600	✓
	1	FLASH1.6GALV1/600	✓
	2	FLASH1.6GALV2/600	✓
	3	FLASH1.6GALV3/600	✓
	4	FLASH1.6GALV4/600	✓
	5	FLASH1.6GALV5/600	✓
	6	FLASH1.6GALV6/600	✓
	7	FLASH1.6GALV7/600	✓
	8	FLASH1.6GALV8/600	✓
	9	FLASH1.6GALV9/600	✓
	10	FLASH1.6GALV10/600	✓
900mm GIRTH	0	FLAT1.6GALV0/900	✓
	1	FLASH1.6GALV1/900	✓
	2	FLASH1.6GALV2/900	✓
	3	FLASH1.6GALV3/900	✓
	4	FLASH1.6GALV4/900	✓
	5	FLASH1.6GALV5/900	✓
	6	FLASH1.6GALV6/900	✓
	7	FLASH1.6GALV7/900	✓
	8	FLASH1.6GALV8/900	✓
	9	FLASH1.6GALV9/900	✓
	10	FLASH1.6GALV10/900	✓
1200mm GIRTH	0	FLAT1.6GALV0/1200	✓
	1	FLASH1.6GALV1/1200	✓
	2	FLASH1.6GALV2/1200	✓
	3	FLASH1.6GALV3/1200	✓
	4	FLASH1.6GALV4/1200	✓
	5	FLASH1.6GALV5/1200	✓
	6	FLASH1.6GALV6/1200	✓
	7	FLASH1.6GALV7/1200	✓
	8	FLASH1.6GALV8/1200	✓
	9	FLASH1.6GALV9/1200	✓
	10	FLASH1.6GALV10/1200	✓

ZA = ZINCALUME®

CB = COLORBOND®

SS = STAINLESS STEEL

MT = COLORBOND® MATT








UT = COLORBOND® ULTRA

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

RAINWATER GOODS


Metroline Fascia

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.




ITEM		PRODUCT CODE*	CB	UT	ZA	MT	
Metroline Fascia		MEFASCIABHT##V	✓	✓	✓	✓	
Metroline Fascia Joiner		MEJOINER			✓		
Rafter Bracket		MERAFBKT			✓		
Modified Rafter Bracket		MERAFBKT-2			✓		
Metroline Fascia External Mitre		MEMITEXT##	✓		✓	✓	
Metroline Fascia Barge Mitre	Left Hand	MEMITBLH##	✓		✓	✓	
	Right Hand	MEMITBRH##	✓		✓	✓	
Metroline Fascia Internal Mitre		MEMITINT##	✓		✓	✓	
Metroline Fascia Spring Clip		MES/CLIP			✓		
Clipsnap 60mm Square Clip		MECLIPSNAP60	Nylon				

RAINWATER GOODS

Metroline Fascia

ITEM	PRODUCT CODE*	CB	UT	ZA	MT	
Torrent Clip Click Fast	METORRENTCLIP			✓		
Met Flow 5mm Back Gap Spacer	MEMFSPACER	Nylon & Zinc				
Met Flow Overstrap 150 BF	MEMFOS150BF					
Industrial Gutter GP Bracket	MEGPINDBRACK			✓		
GRAPTOR BRACKETING SYSTEM						
Graptor Claw Clip 10mm Gap		MEG/CLIP				
Graptor Stiffener Bracket for Skyline Gutter		MEG/BRACKSKY				
Graptor Stiffener Bracket for 125 Big Front Quad Gutter		MEG/BRACK115/125				
Graptor Stiffener Bracket for 150 Big Front Quad Gutter		MEG/BRACK150BF				

Metroline Fascia Gutter

ITEM	PRODUCT CODE*	CB	UT	ZA	MT	
Metroline Fascia Gutter	MEGUTTER340SQ##V	✓		✓		
Universal Overstrap Bracket	MEOSUNI			✓		
Metroline Fascia Gutter Stops Ends	MESE310##	✓		✓		
Metroline Fascia Gutter Internal Gutter Mitres	MEGM310INT##	✓		✓		
Metroline Fascia Gutter External Gutter Mitres	MEGM310EXT##	✓		✓		

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

RAINWATER GOODS

Metroline Square Gutter

ITEM		PRODUCT CODE*	CB	UT	ZA	
Metroline Square Gutter		MEGUTTER310SQ##V	✓	✓	✓	
Metroline Overstrap		MEOS310			✓	
Metroline Square Concealed General Purpose Bracket		MEGB310			✓	
Metroline Stop Ends		MESE310##	✓		✓	
Metroline Square Gutter Mitres	Internal	MEGM310INT##	✓		✓	
	External	MEGM310EXT##	✓		✓	

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

RAINWATER GOODS





Big M Gutter

ITEM		PRODUCT CODE*	CB	UT	ZA	
Metroline Big M Gutter Slotted		MEGUTTMBIGM##	✓		✓	
Metroline Big M Overstrap		MEOSBIGM			✓	
Metroline Square Concealed General Purpose Bracket		MEGBBIGM			✓	
Big M Gutter Stop Ends		MESEBIGM##	✓		✓	
Big M Gutter Mitres	Internal	MEGMBIGMINT##	✓		✓	
	External	MEGM310MEXT##	✓		✓	

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

RAINWATER GOODS






125 Big Front Quad Gutter

ITEM		PRODUCT CODE*	CB	UT	ZA	
125 Big Front Quad Gutter Slotted		MEGUTT125BF##V	✓	✓	✓	
125 Big Front Overstrap		MEOS125BF			✓	
125 Big Front Concealed General Purpose Bracket		MEGB125BF			✓	
125 Big Front Quad Stop Ends	Left Hand	MESE125BF##LH	✓		✓	
	Right Hand	MESE125BF##RH	✓		✓	
125 Big Front Quad Return Ends	Left Hand	MERE125BF##LH	✓		✓	
	Right Hand	MERE125BF##RH	✓		✓	

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

RAINWATER GOODS

150 Big Front Quad Gutter

ITEM		PRODUCT CODE*	CB	UT	ZA	MT	
150 Big Front Quad Gutter Slotted		MEGUTT150BF##V	✓	✓	✓	✓	
150 Big Front Overstrap		MEOS150BF					
150 Big Front Quad Stiffener		MESB150BF					
150 Big Front Concealed General Purpose Bracket		MEGB150BF			✓		
150 Big Front Spike Bracket		MESPIKE150BF	Galvanised				
150 Big Front Quad Stop Ends	Left Hand	MESE150BF##LH	✓		✓	✓	
	Right Hand	MESE150BF##RH	✓		✓	✓	
150 Big Front Quad Mitres	Internal	MEGM150BFINT##	✓		✓	✓	
	External	MEGM150BFEXT	✓		✓	✓	
150 Big Front Quad Return Ends	Left Hand	MERE150BF##LH	✓		✓		
	Right Hand	MERE150BF##RH	✓		✓		

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

RAINWATER GOODS

150 Half Round & Skyline Gutters

ITEM		PRODUCT CODE*	CB	UT	ZA	MT	
150 Half Round Gutter	Unslotted	MEGUTTHRDUN##V	✓	✓	✓	✓	
	Slotted	MEGUTTHRDSL##V	✓	✓	✓	✓	
Skyline Gutter	Unslotted	MEGUTTSKYUN##V	✓	✓	✓	✓	
	Slotted	MEGUTTSKYSL##V	✓	✓	✓	✓	
150 Half Round External Bracket		MEGBHR##	✓		✓	✓	
Skyline Concealed Bracket		MEGBSKY			✓		
150 Flatback Overstrap		MEOSSKY			✓		
PVC Drops	90mm Dia.	MEDPD90SLPVC	PVC				
	100mm Dia.	MEDPD100PVCHR					
150 Half Round 90° Mitres	External	MEMITHR90EXT##	✓		✓	POA	
	Internal	MEMITHR90INT##	✓		✓	POA	
Skyline 90° Mitres	External	MEMITSL90EXT##	✓		✓	POA	
	Internal	MEMITSL90INT##	✓		✓	POA	
150 Half Round Stop Ends	Left Hand	MESEHRLH##	✓		✓	✓	
	Right Hand	MESEHRRH##	✓		✓	✓	
Skyline Stop Ends	Left Hand	MESESLH##	✓		✓	✓	
	Right Hand	MESESLRH##	✓		✓	✓	

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

RAINWATER GOODS








150 Low Front Quad Gutter

ITEM		PRODUCT CODE*	CB	UT	ZA	
150 Low Front Quad Gutter		MEGUTT150LF##V	✓		✓	
150 Low Front Concealed General Purpose Bracket		MEGB150LF			✓	
150 Low Front T Head Bracket		MEGB150LFTH			✓	
150 Low Front Overstrap Stiffener Bracket		MEOS150LF			✓	
150 Low Front Spike Bracket		MESPIKE150LF	Galvanised			
		MESPIKE150LF##	✓			
150 Low Front Mitres	Internal	MEGM150LFINT##	✓		✓	
	External	MEGM150LFEXT##	✓		✓	
150 Low Front Stop Ends	Left Hand	MESE150LF##LH	✓		✓	
	Right Hand	MESE150LF##RH	✓		✓	
150 Low Front Return Ends	Left Hand	MERE150LF##LH	✓		✓	
	Right Hand	MERE150LF##RH	✓		✓	

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

RAINWATER GOODS





175 Big Front Quad Gutter

ITEM		PRODUCT CODE*	CB	UT	ZA	
Slotted 175 Big Front Quad Gutter ASM recommends this gutter is installed with either General Purpose or Spike Brackets		MEGUTT175BF##V	✓		✓	
175 Big Front Quad Gutter Concealed General Purpose Bracket		MEGB175BF			✓	
150 & 175 Big Front Spike Bracket		MESPIKE150BF	Galvanised			
175 Big Front Quad Gutter Mitres	Internal	MEGM175BFINT##	✓		✓	 
	External	MEGM175BFEXT##	✓		✓	
175 Big Front Quad Gutter Stop Ends	Left Hand	MESE175BF##LH	✓		✓	 
	Right Hand	MESE175BF##RH	✓		✓	
175 Big Front Quad Gutter Return Ends	Left Hand	MERE175BF##LH	✓		✓	 
	Right Hand	MERE175BF##RH	✓		✓	

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

RAINWATER GOODS



175 Low Front Quad Gutter

ITEM		PRODUCT CODE*	CB	UT	ZA	
175 Low Front Quad Gutter ASM recommends this gutter is installed with either General Purpose or Spike Brackets		MEGUTT175LF##V	✓		✓	
175 Low Front Concealed General Purpose Bracket		MEGB175LF			✓	
175 Low Front Spike Bracket		MESPIKE175LF			✓	
		MESPIKE175LF##	✓			
175 Low Front Mitres	Internal	MEGM175LFINT##	✓		✓	
	External	MEGM175LFEXT##	✓		✓	
175 Low Front Stop Ends	Left Hand	MESE175LF##LH	✓		✓	
	Right Hand	MESE175LF##RH	✓		✓	

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

RAINWATER GOODS







Downpipes & Accessories

ITEM	DESCRIPTION	PRODUCT CODE*	ZA	CB	
Rectangular Downpipe	100 x 50 x 1800mm	MEDP100/75##18	✓	✓	
	100 x 75 x 2400mm	MEDP100/75##24	✓	✓	
	100 x 75 x 3000mm	MEDP100/75##30	✓	✓	
	100 x 100 x 1800mm	MEDP100/100##18	✓	✓	
Rectangular Drop	100 x 50mm	MEDPD100/50	✓		
	100 x 75mm	MEDPD100/75	✓		
	100 x 100mm	MEDPD100/100	✓		
	100 x 150mm	MEDPD100/150	✓		
Unidrop	100 x 75 or 90mm Round	MEUNIDROP	✓		
Rectangular Straps	100 x 75mm	MESTRAP100/75##	✓	✓	
	100 x 100mm	MESTRAP100/100##	✓	✓	
	100 x 150mm	MESTRAP100/50##	✓	✓	
Round Downpipe	75mm Diameter x 1800mm	MEDPR75##18	✓	✓	
	75mm Diameter x 2400mm	MEDPR75##24	✓	✓	
	90mm Diameter x 1800mm	MEDPR90##18	✓	✓	
	90mm Diameter x 2400mm	MEDPR90##24	✓	✓	
	100mm Diameter x 1800mm	MEDPR100##18	✓	✓	
	100mm Diameter x 2400mm	MEDPR100##24	✓	✓	
Round Downpipe Drops	50mm Stormwater	MEDPD50ZA	✓		
	75mm Stormwater	MEDPDR75	✓		
	90mm Stormwater	MEDPDR90	✓		
	100mm	MEDPDR100	✓		
	150mm	MEDPDR150	✓		
Round Straps	75mm	MESTRAPR75##	✓	✓	
	90mm	MESTRAPR90##	✓	✓	
	100mm	MESTRAPR100##	✓	✓	

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

RAINWATER GOODS



Ridges & Barges

ITEM	DESCRIPTION	PRODUCT CODE*	CB	U	MT	ZA	
Gable Roll	38mm Available in 2400mm only	MEGABROLL38##	✓			✓	
	50mm Available in variable lengths	MEGABROLL50##V	✓	✓	✓	✓	
Roll Top Ridge	Cut to length	MEROLLTOPHT##V	✓	✓	✓	✓	
		MEROLLTOPHGALV	Galvanised				
Roll Top Barge	Cut to length	MEROLLTOPBG##V	✓		✓	✓	
		MEROLTOPBGU##V		✓			
Metroline Barge Capping	Metroline Profile	MEBCAPHT310##V	✓	✓		✓	
Big M Barge Capping	Big M Profile	MEBCAPMBIGM##V	✓	✓		✓	
Tile Valley - Stock Lengths	2400mm	METVAL24				✓	
	4500mm	METVAL45				✓	
	6000mm	METVAL60				✓	

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

RAINWATER GOODS



Rain Heads & Sumps

ITEM	DESCRIPTION	PRODUCT CODE*	
Conical Rain Head Available in: COLORBOND® ZINCALUME® *PRODUCT CODE NOTE	300 X 300 X 150mm	RWHC55##300X300X150	
	300 X 300 X 200mm	RWHC55##300X300X200	
	300 X 300 X 300mm	RWHC55##300X300X300	
	300 X 300 X 400mm	RWHC55##300X300X400	
	400 X 400 X 150mm	RWHC55##400X400X150	
	400 X 400 X 200mm	RWHC55##400X400X200	
	400 X 400 X 300mm	RWHC55##400X400X300	
	400 X 400 X 400mm	RWHC55##400X400X400	
	500 X 500 X 150mm	RWHC55##500X500X150	
	500 X 500 X 200mm	RWHC55##500X500X200	
	500 X 500 X 300mm	RWHC55##500X500X300	
	500 X 500 X 400mm	RWHC55##500X500X400	
	600 X 600 X 150mm	RWHC55##600X600X150	
	600 X 600 X 200mm	RWHC55##600X600X200	
	600 X 600 X 300mm	RWHC55##600X600X300	
	600 X 600 X 400mm	RWHC55##600X600X400	
	750 X 750 X 150mm	RWHC55##750X750X150	
	750 X 750 X 200mm	RWHC55##750X750X200	
	750 X 750 X 300mm	RWHC55##750X750X300	
	750 X 750 X 400mm	RWHC55##750X750X400	
	900 X 900 X 150mm	RWHC55##900X900X150	
	900 X 900 X 200mm	RWHC55##900X900X200	
	900 X 900 X 300mm	RWHC55##900X900X300	
	900 X 900 X 400mm	RWHC55##900X900X400	
Rain Sump Available in: COLORBOND® ZINCALUME® *PRODUCT CODE NOTE	300 X 300 X 150mm	Sump55##300X300X150	
	400 X 400 X 150mm	Sump55##400X400X150	
	500 X 500 X 150mm	Sump55##500X500X150	
	600 X 600 X 150mm	Sump55##600X600X150	
	700 X 700 X 150mm	Sump55##700X700X150	
	800 X 800 X 150mm	Sump55##800X800X150	
	900 X 900 X 150mm	Sump55##900X900X150	

RAINWATER GOODS

Rain Heads & Sumps



ALLOW 2 DAYS FROM ORDER FOR DELIVERY

ITEM	DESCRIPTION	PRODUCT CODE*	
Flat Bottom Rain Head Available in: COLORBOND® ZINCALUME® *PRODUCT CODE NOTE	300 X 300 x 150mm	RWHHF##300X300X1	
	300 X 300 x 200mm	RWHHF##300X300X2	
	300 X 300 x 300mm	RWHHF##300X300X3	
	300 X 300 x 400mm	RWHHF##300X300X4	
	400 X 400 x 150mm	RWHHF##400X400X1	
	400 X 400 x 200mm	RWHHF##400X400X2	
	400 X 400 x 300mm	RWHHF##400X400X3	
	400 X 400 x 400mm	RWHHF##400X400X4	
	500 X 500 x 150mm	RWHHF##500X500X1	
	500 X 500 x 200mm	RWHHF##500X500X2	
	500 X 500 x 300mm	RWHHF##500X500X3	
	500 X 500 x 400mm	RWHHF##500X500X4	
	600 X 600 x 150mm	RWHHF##600X600X1	
	600 X 600 x 200mm	RWHHF##600X600X2	
	600 X 600 x 300mm	RWHHF##600X600X3	
	600 X 600 x 400mm	RWHHF##600X600X4	
	750 X 750 x 150mm	RWHHF##750X750X1	
	750 X 750 x 200mm	RWHHF##750X750X2	
	750 X 750 x 300mm	RWHHF##750X750X3	
	750 X 750 x 400mm	RWHHF##750X750X4	
	900 X 900 x 150mm	RWHHF##900X900X1	
	900 X 900 x 200mm	RWHHF##900X900X2	
	900 X 900 x 300mm	RWHHF##900X900X3	
	900 X 900 x 400mm	RWHHF##900X900X4	
ITEM	DESCRIPTION	PRODUCT CODE*	
Tapered Bottom Rain Head Available in: COLORBOND® ZINCALUME® *PRODUCT CODE NOTE	300 X 300 x 150mm	RWHT55##300X300X1	
	300 X 300 x 200mm	RWHT55##300X300X2	
	300 X 300 x 300mm	RWHT55##300X300X3	
	300 X 300 x 400mm	RWHT55##300X300X4	
	400 X 400 x 150mm	RWHT55##400X400X1	
	400 X 400 x 200mm	RWHT55##400X400X2	
	400 X 400 x 300mm	RWHT55##400X400X3	
	400 X 400 x 400mm	RWHT55##400X400X4	
	500 X 500 x 150mm	RWHT55##500X500X1	
	500 X 500 x 200mm	RWHT55##500X500X2	
	500 X 500 x 300mm	RWHT55##500X500X3	
	500 X 500 x 400mm	RWHT55##500X500X4	
	600 X 600 x 150mm	RWHT55##600X600X1	
	600 X 600 x 200mm	RWHT55##600X600X2	
	600 X 600 x 300mm	RWHT55##600X600X3	
	600 X 600 x 400mm	RWHT55##600X600X4	
	750 X 750 x 150mm	RWHT55##750X750X1	
	750 X 750 x 200mm	RWHT55##750X750X2	
	750 X 750 x 300mm	RWHT55##750X750X3	
	750 X 750 x 400mm	RWHT55##750X750X4	
	900 X 900 x 150mm	RWHT55##900X900X1	
	900 X 900 x 200mm	RWHT55##900X900X2	
	900 X 900 x 300mm	RWHT55##900X900X3	
	900 X 900 x 400mm	RWHT55##900X900X4	








RAINWATER GOODS

Rain Heads & Sumps

ALLOW 2 DAYS FROM ORDER FOR DELIVERY

ITEM	DESCRIPTION	PRODUCT CODE*	
Colonial Rain Head Available in: COLORBOND® ZINCALUME®	300 X 300 X 150mm	RWHC55##300X300X1	
	300 X 300 X 200mm	RWHC55##300X300X2	
	300 X 300 X 300mm	RWHC55##300X300X3	
	300 X 300 X 400mm	RWHC55##300X300X4	
	400 X 400 X 150mm	RWHC55##400X400X1	
	400 X 400 X 200mm	RWHC55##400X400X2	
	400 X 400 X 300mm	RWHC55##400X400X3	
	400 X 400 X 400mm	RWHC55##400X400X4	
	500 X 500 X 150mm	RWHC55##500X500X1	
	500 X 500 X 200mm	RWHC55##500X500X2	
	500 X 500 X 300mm	RWHC55##500X500X3	
	500 X 500 X 400mm	RWHC55##500X500X4	
	600 X 600 X 150mm	RWHC55##600X600X1	
	600 X 600 X 200mm	RWHC55##600X600X2	
	600 X 600 X 300mm	RWHC55##600X600X3	
	600 X 600 X 400mm	RWHC55##600X600X4	
	750 X 750 X 150mm	RWHC55##750X750X1	
	750 X 750 X 200mm	RWHC55##750X750X2	
	750 X 750 X 300mm	RWHC55##750X750X3	
	750 X 750 X 400mm	RWHC55##750X750X4	
	900 X 900 X 150mm	RWHC55##900X900X1	
	900 X 900 X 200mm	RWHC55##900X900X2	
	900 X 900 X 300mm	RWHC55##900X900X3	
	900 X 900 X 400mm	RWHC55##900X900X4	
*PRODUCT CODE NOTE			
ITEM	DESCRIPTION	PRODUCT CODE*	
Ned Kelly Rain Head Available in: COLORBOND® ZINCALUME®	300 X 300 X 150mm	RWHN55##300X300X1	
	300 X 300 X 200mm	RWHN55##300X300X2	
	300 X 300 X 300mm	RWHN55##300X300X3	
	300 X 300 X 400mm	RWHN55##300X300X4	
	400 X 400 X 150mm	RWHN55##400X400X1	
	400 X 400 X 200mm	RWHN55##400X400X2	
	400 X 400 X 300mm	RWHN55##400X400X3	
	400 X 400 X 400mm	RWHN55##400X400X4	
	500 X 500 X 150mm	RWHN55##500X500X1	
	500 X 500 X 200mm	RWHN55##500X500X2	
	500 X 500 X 300mm	RWHN55##500X500X3	
	500 X 500 X 400mm	RWHN55##500X500X4	
	600 X 600 X 150mm	RWHN55##600X600X1	
	600 X 600 X 200mm	RWHN55##600X600X2	
	600 X 600 X 300mm	RWHN55##600X600X3	
	600 X 600 X 400mm	RWHN55##600X600X4	
	750 X 750 X 150mm	RWHN55##750X750X1	
	750 X 750 X 200mm	RWHN55##750X750X2	
	750 X 750 X 300mm	RWHN55##750X750X3	
	750 X 750 X 400mm	RWHN55##750X750X4	
	900 X 900 X 150mm	RWHN55##900X900X1	
	900 X 900 X 200mm	RWHN55##900X900X2	
	900 X 900 X 300mm	RWHN55##900X900X3	
	900 X 900 X 400mm	RWHN55##900X900X4	
*PRODUCT CODE NOTE			


STUD FRAMING

ITEM	DESCRIPTION	PRODUCT CODE	
STEEL BUILDING FRAME COMPONENTS			
Stud 75 x 32mm - Truecore® BUY IN*	1.0 BMT	MESTDSTUDD-10V	
Stud 75mm x 7.5m - Truecore® Blue		MESTDSTUDD75	
Noggin 72 x 32mm - Truecore® BUY IN*		MESTDNOGGN-10	
Noggin 72.5 x 7.5m - Truecore® Yellow		MESTDNOGG75	
Plate 78 x 31mm - Truecore® BUY IN*		MESTDPLATE-10V	
Plate 77.5mm x 7.5m - Truecore® Red		MESTDPLATE75	
TOP HATS			
64mm	0.75 BMTZA	METOPHATB6475V	
* ALLOW 2 - 4 DAYS	1.0 BMTZA	METOPHATB6410V	
	1.2 BMTZA	METOPHATB6412V	
96mm	0.75 BMTZA	METOPHAT09675V	
	1.0 BMTZA	METOPHAT09610V	
	1.2 BMTZA	METOPHAT09612V	
120mm	0.70 BMTZA	METOPHAT12070V	
* ALLOW 2 - 4 DAYS	0.90 BMTZA	METOPHAT12090V	
	1.2 BMTZA	METOPHAT12012V	
ROOF & CEILING BATTENS			
40mm Roof Batten x 6.5m	0.55 BMT TRUCOR	MERBATT65	
40mm Roof Batten x 7.5m		MERBATT75	
22mm Safety Batten x 6.5m	0.42 BMT TRUCOR	MESBATT65	
22mm Safety Batten x 7.5m - Zinc		MESBATT75	
22mm Ceiling Batten x 6.1m		MECBATT61	
22mm Ceiling Batten x 6.5m		MECBATT65	
40mm Roof Batten - Cyclonic x 7.5m	0.75 BMT TRUCOR	MERBATT75	
TRIM ANGLE			
38mm x 38mm x 3.3m	1.2 BMT ZINCALUME	METRIMANGLE33	
38mm x 38mm x 6.0m		METRIMANGLE60	
50mm x 50mm x 3.3m		METRIMANGLE5033	
50mm x 50mm x 6.0		METRIMANGLE5060	

PURLINS & GIRTS

Standard, Mega C&Z & Fascia Purlins

ITEM		SECTION	C SECTION CODE	Z SECTION CODE	APPROX. WEIGHT KG/M
Standard Purlins	100	10010	MEC10010-PURLV	MEZ10010-PURLV	1.75
		10012	MEC10012-PURLV	MEZ10012-PURLV	2.05
		10015	MEC10015-PURLV	MEZ10015-PURLV	2.60
		10019	MEC10019-PURLV	MEZ10019-PURLV	3.28
	150	15012	MEC15012-PURLV	MEZ15012-PURLV	2.86
		15015	MEC15015-PURLV	MEZ15015-PURLV	3.57
		15019	MEC15019-PURLV	MEZ15019-PURLV	4.51
		15024	MEC15024-PURLV	MEZ15024-PURLV	5.62
	200	20012	MEC20012-PURLV	MEZ20012-PURLV	3.62
		20015	MEC20015-PURLV	MEZ20015-PURLV	4.49
		20019	MEC20019-PURLV	MEZ20019-PURLV	5.74
		20024	MEC20024-PURLV	MEZ20024-PURLV	7.21
	250	25015	MEC25015-PURLV	MEZ25015-PURLV	5.21
		25019	MEC25019-PURLV	MEZ25019-PURLV	6.50
		25024	MEC25024-PURLV	MEZ25024-PURLV	8.17
	300	30024	MEC30024-PURLV	MEZ30024-PURLV	10.18
		30030	MEC30030-PURLV	MEZ30030-PURLV	12.69
	350	35030	MEC35030-PURLV	MEZ35030-PURLV	15.16
	400	40030	MEC40030-PURLV	MEZ40030-PURLV	18.7
	40030 FLANGE	96mm Flange	MEC40030-096FV	MEZ40030-096FV	15.15
		105mm Flange	MEC40030-105FV	MEZ40030-105FV	15.15
		125mm Flange	MEC40030-125FV	MEZ40030-125FV	16.54
Z450 Purlins	150	15012	MEC15012-Z450V	MEZ15012-Z450V	2.90
		15015	MEC15015-Z450V	MEZ15015-Z450V	2.90
		15019	MEC15019-Z450V	MEZ15019-Z450V	4.55
		15024	MEC15024-Z450V	MEZ15024-Z450V	4.55
	200	20019	MEC20019-Z450V	MEZ20019-Z450V	5.80
		20024	MEC20024-Z450V	MEZ20024-Z450V	5.80
	250	25019	MEC25019-Z450V	MEZ25019-Z450V	6.55
		25024	MEC25024-Z450V	MEZ250-24-Z450V	6.55
Mega Purlins	100	10012	MEMC10012PURLV	MEMZ10012PURLV	2.05
	150	15012	MEMC15012PURLV	MEMZ15012PURLV	2.86
		15015	MEMC15015PURLV	MEMZ15015PURLV	3.57
		15019	MEMC15019PURLV	MEMZ15019PURLV	4.51
		15024	MEMC15024PURLV	MEMZ15024PURLV	5.62
	200	20012	MEMC20012PURLV	MEMZ20012PURLV	3.62
		20015	MEMC20015PURLV	MEMZ20015PURLV	4.49
		20019	MEMC20019PURLV	MEMZ20019PURLV	5.74
		20024	MEMC20024PURLV	MEMZ20024PURLV	7.21
	250	25015	MEMC25015PURLV	MEMC25015PURLV	5.21
		25019	MEMC25019PURLV	MEMZ25019PURLV	6.50
		25024	MEMC25024PURLV	MZ25024PURLVME	8.17
	300	30024	MEMC30024PURLV	MEMZ30024PURLV	10.18
		30030	MEMC30030PURLV	MEMZ30030PURLV	12.69
	350	35030	MEMC35030PURLV	MEMZ35030PURLV	15.16
Fascia Purlins ROOF PITCH MUST BE SPECIFIED	230	FP 23016 Punched		FP23016PUNV	
		FP 23016 Un-Punched		FP23016/UNPV	
		FP 23019 Punched		FP23019PUNV	
		FP 23019 Un-Punched		FP23019/UNPV	
		FP 23024 Punched D/T Lip		FP23024DTLV	



HOLE CENTRES

All holes are 18 x 22mm elongated punched to AISC gauge lines.

Other holes also available. Enquire with ASM.

PURLINS & GIRTS

Nesting Channels

ITEM	DESCRIPTION	PRODUCT CODE
Nesting Channels	104 x 60 x 1.2 - Variable Length	MENESTCH10412V
	104 x 60 x 1.5 - Variable Length	MENESTCH10415V
	104 x 60 x 1.9 - Variable Length	MENESTCH10419V
	154 x 70 x 1.2 - Variable Length	MENESTCH15412V
	154 x 70 x 1.5 - Variable Length	MENESTCH15415V
	154 x 70 x 1.9 - Variable Length	MENESTCH15419V
	154 x 70 x 2.4 - Variable Length	MENESTCH15424V
	157 x 68 x 1.9 - Variable Length	MENESTCH15719V
	207 x 70 x 1.5 - Variable Length	MENESTCH20715V
	207 x 70 x 1.9 - Variable Length	MENESTCH20719V
	207 x 70 x 2.4 - Variable Length	MENESTCH20724V
	257 x 70 x 1.5 - Variable Length	MENESTCH25715V
	257 x 70 x 1.9 - Variable Length	MENESTCH25719V
	257 x 70 x 2.4 - Variable Length	MENESTCH25724V
	307 x 128 x 2.4 - Variable Length	MENESTCH30724V
	307 x 128 x 3.0 - Variable Length	MENESTCH30730V
	357 x 155 x 3.0 - Variable Length	MENESTCH35730V






BRIDGING CODES IN THIS BROCHURE

Bridging is made up of a Channel and 2 Bridging End Components at either end of the Channel. Channel and Ends vary depending on the type of bridging required. The below table outlines these items.

BRIDGING COMPONENT	ITEM TYPE	UOM	CODE	BRIDGING HOLE CENTRES	
Channel - Available as l/m	Plain	l/m	MEBRIDGEADJCHV	Select bridging hole centers to match purlins	40mm
	Adjustable Plain & Slotted		MEBRIDGEPLNCHV		60mm
	Slotted only		MEBRIDGESLOCHV		110mm
	Heavy Duty Plain Channel		MEBRIDGEHDPCHV		160mm
Ends*	Angle Connector	Pair of Ends	A		210mm
	Bolted End Bracket		B		260mm
	Clamp End		C		
	Fascia Purlin Bracket		F		
	Locator		L		
	Turnbuckle		T		

*UNDERSTANDING BRIDGING END CODES

As an example, the Product Code for the Ends required for Intermediate Intermediate Bridging is MEBRGP##*/##* ← 2nd End Component
Specify the item size where ## is used and specify the item type where * is by using the relevant code from the above table.

ITEM & USE	PRODUCT CODE
INTERMEDIATE BRIDGING The basic connecting member between purlins and generally comprises a Locator End and a Clamp End attached to cut-to-length Plain Channel.	
Plain Channel - l/m	MEBRIDGEPLNCHV
End Componentry - Pair	MEBRGP##*/##*
   	
FASCIA BRIDGING Use to provide support to the first internal purlin and for straightening and securing the Fascia Purlin.	
Adjustable Plain & Slotted Channel	MEBRIDGEADJCHV
End Componentry - Pair	MEBRGA##*/##*
	

BRIDGING


ITEM & USE	PRODUCT CODE
------------	--------------

EXPANSION JOINT BRIDGING - Swivel Ends

Use to accommodate a step or joint in the roof plane. Often an adjustable or swivel assembly

Plain Channel - l/m	MEBRIDGEPLNCHV
---------------------	----------------


End Componentry - Pair	MEBRGPSW##*/##*
------------------------	-----------------



EXPANSION JOINT BRIDGING - Adjustable

Adjustable Plain & Slotted Channel	MEBRIDGEADJCHV
------------------------------------	----------------


End Componentry - Pair	MEBRGASW##*/##*
------------------------	-----------------



EXPANSION JOINT BRIDGING - Slotted

Slotted Channel	MEBRIDGESLOCHV
-----------------	----------------


End Componentry - Pair	MEBRGSSW##*/##*
------------------------	-----------------



RIDGE BRIDGING - Turnbuckle only

Adjustable bridging used at the apex of the roof.


End Componentry - Pair	MEBRGRA##*/##*
------------------------	----------------



RIDGE BRIDGING - Turnbuckle with Channel

Plain Channel	MEBRIDGEPLNCHV
---------------	----------------


End Componentry - Pair	MEBRGRB##*/##*
------------------------	----------------



RIDGE BRIDGING - Swivel Ends with Channel

Plain Channel	MEBRIDGEPLNCHV
---------------	----------------

End Componentry - Pair	MEBRGPSW##*/##*
------------------------	-----------------




GIRT FOOT

Use to transfer downward forces to the floor in girt bridging and where adjustment/alignment to the bottom purlin is required.

Slotted Channel	MEBRIDGESLOCHV
-----------------	----------------

End Componentry - Pair	MEBRGSGF##*/##*
------------------------	-----------------




BRIDGING

ITEM & USE	PRODUCT CODE
------------	--------------

GIRT HANGER

Use to assist with alignment and stability. Usually attached to the Slotted Channel in the Fascia Bridging assembly by a Turnbuckle.

Slotted Channel	MEBRIDGESLOCHV
Single End	MEBRGSGHTB/##*



HEAVY DUTY BRIDGING












Heavy Duty Plain Channel	MEBRIDGEHDPCHV
2 x 210 Bolted End Brackets	MEBRGHD210B/210B
2 x 260 Bolted End Brackets	MEBRGHD260B/260B
1 x 210 Bolted End Bracket & 1 x 110 Locator End Bracket	MEBRGHD210B/110L
1 x 210 Bolted End Bracket & 1 x 110 Clamp End Bracket	MEBRGHD210B/110C

TIE RODS

Tie Rods	M12 x 1m PC8.8 Galv. Hi Tensile	MET/RODM12
	M12 x 3m PC8.8 Galv. Hi Tensile	MET/RODM1230
Washer	M12 x 28 x 2.5 Galv. Flat Washer	METIERODWASH
Nut	M12 Class 8 Galv. Hex Nut	METIERODNUT







BRACKETS & PLATES

ITEM	DESCRIPTION - PRODUCT CODE				
Flange Bolt/Nut/Washer	12 x 30 GR4.6			ME12X30FPB46	 GENERAL PURPOSE BRACKET
General Purpose Brackets	100	GPB/100	250	MEGPB/250	
	150	GPB/150	300	MEGPB/300	
	200	GPB/200			
Mega Purlin Brackets	100	MPB/150	250	MEMPB/250	 MEGA PURLIN BRACKET
	200	MPB/200	300	MEMPB/300	
Angle Connectors	100	AC/100	250	MEAC/250	 ANGLE CONNECTOR
	150	AC/150	300	MEAC/300	
	200	AC/200			
Clamp Plates	100	CP/100	250	MECP/250	 CLAMP
	150	CP/150	300	MECP/300	
	200	CP/200			
Universal Cleat Plates	100	CL/100	200	MECL/200	 UNIVERSAL CLEAT PLATE
	150	CL/150	250	MECL/250	
Turnbuckle	10mm Galv. E/E			ME250TURNBUCKLE	 TURNBUCKLE
Fascia Purlin Bracket	100	FPB100	200	MEFPB200	
	150	FPB150	250	MEFPB250	 FASCIA PURLIN BRACKET
Clamps	40	40CLAMP	160	ME160CLAMP	 CLAMP
	60	60CLAMP	200	ME200CLAMP	
	110	110CLAMP	250	ME250CLAMP	
Locators	40	40LOCATOR	160	ME160LOCATOR	 LOCATOR
	60	60LOCATOR	200	ME200LOCATOR	
	110	110LOCATOR	250	ME250LOCATOR	
Bolted End Brackets	40	40BOLTED/END	160	ME160BOLTED/END	 BOLTED END BRACKET
	60	60BOLTED/END	210	ME210BOLTED/END	
	110	110BOLTED/END	260	ME260BOLTED/END	
Column Base Plates	64	PLCBASE64C	250	MEPLCBASE250C	 COLUMN BASE PLATE
	100	PLCBASE100C	300	MEPLCBASE300C	
	150	PLCBASE150C	350	MEPLCBASE350C	
	200	PLCBASE200C	400	MEPLCBASE400C	
Raking Girt Brackets	100			MERGB/100	 RAKING GIRT BRACKET
Purlin Bolts x 100 per Box	12 x 30 Bolt/Nut/2 x Washers GR 4.6			ME12X30PB46	
Flanged Purlin Bolts x 100 per Box	12 x 30 Bolt/Nut/Washer GR 4.6			ME12X30FPB46	
	12 x 30 Bolt/Nut/Washer GR 8.8			ME12X30FPB88	
Fascia Bolts x 100 per Box	12 x 30 Bolt/Nut/Washer GR 4.6			ME12X30FB46	

COLORBOND® FENCING

ALLOW 2 DAYS FROM ORDER FOR DELIVERY

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.







ITEM	HEIGHT/LENGTH (mm)	PRODUCT CODE*	
Fence Posts	1800	MEFNP##18	
	2100	MEFNP##21	
	2400	MEFNP##24	
	2700	MEFNP##27	
	3000	MEFNP##30	
Fence Rails	806	MEFRM##80	
	1500	MEFRM##150	
	2365	MEFRM##23	
	2400	MEFRM##24	
	3125	MEFRM##31	
Cyclonic Fence Rails - 2 Panel	Trimclad & Metine	MEFRM##1600	
	MetZag	MEFRM##1620	
Metscreen Steel Lattice 2.4m	300	MEMETSCREEN##24	
Trimclad Fence Sheets Coverage 762mm	1200	MEFNS##12	
	1500	MEFNS##15	
	1800	MEFNS##18	
	2100	MEFNS##21	
Metline Fence Sheets Coverage 762mm	1200	MEFMS##12	
	1500	MEFMS##15	
	1800	MEFMS##18	
	2100	MEFMS##21	
MetZag Fence Sheets Coverage 762mm	1200	MEFZS##12	
	1500	MEFZS##15	
	1800	MEFZS##18	
	2100	MEFZS##21	
Corodek Fence Sheets Coverage 762mm	1200	MEFCS##12	
	1500	MEFCS##15	
	1800	MEFCS##18	
	2100	MEFCS##21	
Corodek Rail Channel Pack - Contains 2 Channels		MECRC##	1x Pack required per 2365mm fence panel

Gates & Accessories

ITEM	DETAIL	PRODUCT CODE*	
Gate Stiles	1.2m	MEGST##12	
	1.5m	MEBGST##15	
	1.8m	MEGST##18	
Gate Posts	65 x 65 x 2400mm	MEGP65##24	
	65 x 65 x 3000mm	MEGP65##30	
Black Post Caps	57 x 35mm	MECAPS5735	
	65mm Post	MECAP65	
Fence Post Caps - Black Uncoated	Single	MEFNPCAPSINS	
	Double	MEFNPCAPDBNS	
Gate Hinge Kit	16 screws per set	MEFNHGHKIT	
D Latch & Striker Plate		MELATCHD/S	
Latch Handle		MELATCHHANDLE	
Fence Drop Bolt		MEFNDBOLT	

HOME IMPROVEMENTS

Patio Sheeting & Accessories



ITEM	DESCRIPTION	PRODUCT CODE*		
Trim Top Insulated® Panels Available in: Surfmist, Classic Cream, Paperbark, Pale Eucalypt, Shale Grey, Dune, Jasper, Basalt. Underside Finish: Smooth or Elegance ALLOW 10 DAYS FROM ORDER FOR DELIVERY	75mm	SOLARSP##75V		
	100mm	SOLARSP##100V		
	125mm	SOLARSP##125V		
	150mm	SOLARSP##150V		
	1000mm (Cover)	SOLARSP##1000V		
INSULATED PANEL FASTENERS				
Timber Fasteners Type 17, Class 4, Ridge Cap x1000 per pack	14 x 115m	AOT17RC115##		
	14 x 150mm	AOT17RC150##		
	14 x 175mm	AOT17RC175##		
	14 x 200mm	AOT17RC200##		
Metal Fasteners Teks, Class 4, Multi Seal x1000 per pack	14 x 125mm	AOTEKRC125##		
	14 x 150mm	AOTEKRC150##		
	14 x 175mm	AOTEKRC175##		
	14 x 205mm	AOTEKRC205##		
	14 x 230mm	AOTEKRC230##		
Seal & Infill Strips	Solarspan® Panel Infill Strip 1m	AOFILLSTRIP		
	50mm Receiver Channel Seal 4.5m Roll	AOSEALADHSV50		
	80mm Receiver Channel Seal 4.5m Roll	AOSEALADHSV80		
Aussie Deck Sheeting Available in: Surfmist, Classic Cream, Paperbark. ALLOW 2 DAYS FROM ORDER FOR DELIVERY	0.42 BMT Double Sided 80% Gloss	ME42##AUSSIDSV		
Corro Top Insulated® Panels Available in: Surfmist, Classic Cream, Paperbark, Pale Eucalypt, Shale Grey, Dune, Jasper, Basalt. Underside Finish: Smooth or Elegance ALLOW 10 DAYS FROM ORDER FOR DELIVERY	75mm	INSULR##075V		
	100mm	INSULR##100V		
	125mm	INSULR##125V		
	150mm	INSULR##150V		
	1000mm (Cover)	INSULR##1000V		
Downlight Kit Kit Contents: 1 x 9W LED Downlight 1 x 9W Driver 2 x 6m DC Extension Leads 1 x White Trim (fitted) 1 x Brushed Chrome Trim (Optional)	Warm	DOWNLIGHT-WARM		
	Cool	DOWNLIGHT-COOL		

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

HOME IMPROVEMENTS



Steel Patio Beams & Columns

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

ITEM	DESCRIPTION	PRODUCT CODE*	
METBEAM PATIO BEAMS & COLUMNS			
Patio Beam Available in Surfmist® & Classic Cream®	150 x 50 x 3000mm	MBBEAM15030##	
	150 x 50 x 6000mm	MBBEAM15060##	
	150 x 50 x 8000mm	MBBEAM15080##	
SHS Patio Columns Available in Surfmist® & Classic Cream®	50 x 50 x 4000mm Steel Post	MBCOLUMN5040##	
Patio Receiver Channel Available in Thredbow White®, Paperbark® & Classic Cream®	3600mm	AORCHNL36##	
	7200mm	AORCHNL72##	
Plastic Beam End Cap	Available in Surmist & Classic Cream	MBBEC150##	
Saddle Bracket	Available in Surmist & Classic Cream	MBBSB##	
Suspension Bracket	Available in Surmist & Classic Cream	MBBSMB##	
Beam to Beam Inline Connector	Zinc	MBIBC	
Beam to Column Connector	Galvanised U-Type	MBCBC	
SHS Column to Slab Connector	Zinc T-Type	PATIOCYCBASE	
Bolts	10 x 75mm True Bolt - Zinc, Galv Yellow	TRUE-BOLT10X75ZY	
	3/8 unc x 2.5 Zinc Bolt & N2 Nylon Washers	MBBOLTZP	
	M10 x 120 Galv Bolt, Nylok Nut & 2 Nylon washers	MB10X120GAL	

HOME IMPROVEMENTS

Aluminium Patio Beams & Columns

ITEM	DESCRIPTION	PRODUCT CODE*	
AUSSIE OUTDOOR PATIO BEAMS & COLUMNS			
Patio Beam Available in Surfmist & Classic Cream	150 x 75 x 6000mm	AOBEAM15060##	
	150 x 75 x 8000mm	AOBEAM15080##	
Patio Column Available in Surfmist & Classic Cream	65 x 65 x 20 x 3000mm	AOCOLUMN6530##	
	65 x 65 x 20 x 4000mm	AOCOLUMN6540##	
Inline Beam Connector	150 x 600mm	AOIBC150600	
Beam to Beam Connector		AOBBC	
Column to Beam Connector		AOCBC	
Column Foot Mount	Available in Surfmist & Classic Cream	AOCFM##	 COLUMN FOOT MOUNT  BEAM END CAP
Beam Suspension Bracket 150mm		AOBSMB150##	
Beam Saddle Bracket 150mm		AOBSB150##	
Beam End Caps 150 x 75mm		AOBEC150##	
Bolts	3/8 unc. x 2.5 Zinc Bolt & N2 Nylon Washers	AOBOLTSS	
	HX M8 x 90 Zinc Plated Bolt with Nylock Nut & x2 Nylon Washers	AOBLTHX890ZP	
	10 x 75mm Stainless Steel True Bolt	AODYNA1075S	
	10 x 75mm True Bolt - Zinc, Yellow or Galv	TRUE-BOLT10X75ZY	
	HX M10 x 50 Galv Bolt, Nut & 2 Washers	AOBLTHX1050GAL	
Anchor Screws - Galvanised	M10 x 75mm	AS1075	
	M12 x 75mm	AS1275	
	M12 x 100mm	AS12100	
	M16 x 100 Screw or Zip	AS16100	
Roof Extenders	150mm	AORE150	
	300mm	AORE300	
	400mm	AORE400	
	500mm	AORE500	
Rafter/Fascia Support Bracket	Universal	AORFSBUNI	
Rafter-Hip Extension Beam Bracket	Zinc Yellow Plated	AORHEBB	

*USE MATERIAL/COLOUR CODES WHERE ## APPEARS.

COLOUR & PRODUCT SELECTION TABLES

These charts show material/colour availability for products. Please note stocked items are subject to availability and scheduling.

Please check item availability with ASM.

ROOFING & WALLING

MATERIAL/COLOUR	BMT	CORODEK®			TRIMCLAD®			METROCLAD 850®		MINI CORODEK®	METTRIB®	METROSPAN®		METLOK 700®	
		0.42	0.48	0.60	0.35	0.42	0.48	0.35	0.42	0.42	0.42	0.42	0.48	0.42	0.48
Zincalume®		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Basalt®		✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓
Classic Cream®		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Cottage Green®		✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓
Cove®		✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓
Deep Ocean®		✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓
Dune®		✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓
Evening Haze®		✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓
Gully®		✓	✓			✓	✓		✓	✓	✓	✓	✓	✓	✓
Ironstone®		✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓
Jasper®		✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓
Mangrove®		✓	✓			✓	✓		✓	✓	✓	✓	✓	✓	✓
Manor Red®		✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓
Monument®		✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓
Night Sky®		✓		✓		✓			✓	✓	✓	✓		✓	
Paperbark®		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Pale Eucalypt®		✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓
Shale Grey™		✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓
Surfmist®		✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓
Terrain®		✓	✓			✓	✓		✓	✓	✓	✓	✓	✓	✓
Wallaby®		✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓
Woodland Grey®		✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓
Windspray®		✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓
ULTRA															
Galvanised		✓													
Deep Ocean®		✓				✓			✓	✓	✓	✓		✓	
Dune®		✓	✓			✓	✓		✓	✓	✓	✓	✓	✓	✓
Monument®		✓				✓			✓	✓	✓	✓		✓	
Surfmist®		✓	✓			✓	✓		✓	✓	✓	✓	✓	✓	✓
Woodland Grey®		✓				✓			✓	✓	✓	✓		✓	
Windspray®		✓	✓			✓	✓		✓	✓	✓	✓	✓	✓	✓
MATT															
Basalt®		✓				✓			✓	✓	✓	✓		✓	
Dune®		✓				✓			✓	✓	✓	✓		✓	
Monument®		✓				✓			✓	✓	✓	✓		✓	
Shale Grey®		✓				✓			✓	✓	✓	✓		✓	
Surfmist®		✓				✓			✓	✓	✓	✓		✓	

RAINWATER GOODS, PRESSINGS & FLASHINGS

MATERIAL/COLOUR	ROUND DOWNPIPES	RECTANGLE DOWNPIPES	ROLL TOP RIDGE	METROLINE BARGE	BIG M BARGE CAPPING	GABLE ROLL	FASCIA	METROLINE SQUARE GUTTER	METROLINE FASCIA GUTTER	BIG M GUTTER	125 BIG FRONT GUTTER	150 BIG FRONT GUTTER	175 BIG FRONT GUTTER	150 LOW FRONT GUTTER	150 SKYLINE & HALF ROUND GUTTER			FLASHINGS 0.55 BMT	FLASHINGS 1.00 BMT	FLASHINGS 1.20 BMT	FLASHINGS 1.60 BMT
Zincalume®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓	
Galvanised			✓															✓	✓	✓	✓
Basalt®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
Classic Cream®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
Cottage Green®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
Cove®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
Deep Ocean®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
Dune®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
Evening Haze®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
Gully®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
Ironstone®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
Jasper®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
Mangrove®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
Manor Red®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
Monument®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		
Paperbark®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
Pale Eucalypt®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
Shale Grey®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
Surfmist®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓	
Terrain®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
Wallaby®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
Woodland Grey®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
Windspray®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
ULTRA																					
Deep Ocean®																		✓			
Dune®	✓	✓	✓	✓			✓	✓			✓	✓			✓			✓			
Surfmist®			✓	✓			✓	✓			✓	✓			✓			✓			
Woodland Grey®			✓	✓			✓	✓			✓	✓			✓			✓			
Windspray®			✓	✓			✓	✓			✓	✓			✓			✓			
Monument®																		✓			
MATT																					
Basalt®			✓			✓	✓					✓			✓			✓			
Dune®			✓			✓	✓					✓			✓			✓			
Monument®			✓			✓	✓					✓			✓			✓			
Shale Grey®			✓			✓	✓					✓			✓			✓			
Surfmist®			✓			✓	✓					✓			✓			✓			

ASM TERMS & CONDITIONS OF SALE

All goods and services purchased from the Company and any of its divisions are sold subject to the following terms and conditions of sale which shall prevail notwithstanding any other document, terms and conditions and/or anything else except a written agreement signed by the Customer and the Company, except only for such terms, guarantees, indemnities or other obligations as are implied or imposed by or under any law which cannot be excluded.

1. Price & Goods & Services Tax ("GST")

The price will be the price current at the time of order or supply unless otherwise agreed in writing. GST and/or other Government imposts whatsoever applicable to the supply of goods and/or services will be payable by the Customer.

2. Payment

(i) Payment for goods and services purchased from the Company shall be made before delivery or in the case of Customers who have an account with the Company must be received by the last working day of the month after the month of invoice.

(ii) Goods and services are sold at list price. Any agreement to charge less is conditional on the Customer paying the lower amount on time. Failure to pay on time will result in full list price being payable.

(iii) The Customer shall not be entitled to retain any money owing to the Company notwithstanding any default or alleged default by the Company including the supply of defective or allegedly defective goods or delay or alleged delay in supply.

(iv) If payment is not made on time, the Customer shall pay interest to the Company on any amount owing at the rate of 3% above Westpac Banking Corporation's Overdraft Business Rate.

(v) A certificate signed by a responsible officer of the Company shall be prima facie evidence of the amount owed to the Company by the Customer at the date of such certificate.

(vi) The Customer will pay to the Company without deduction or set-off all moneys owing to the Company.

(vii) The Company shall be entitled at any time to set-off any moneys then or contingently owed to the Company by the Customer against any debt the Company owes to the Customer.

3. Default

If the Customer defaults in any payment, or if in the opinion of the Company, the Customer is unlikely to be able to meet its liability as it falls due then the Company may at its option:

(i) require payment forthwith of all amounts owing by the Customer to the Company, whether or not such amounts are then due for payment including without limitation, all interest, administration and collection charges and all legal costs and any payment by the Customer shall be first applied to such charges and costs;

(ii) terminate any contract or contracts in relation to goods which have not been delivered and/or withdraw credit.

4. Reservation of Title

(i) Property in any goods supplied by the Company and any proceeds arising therefrom shall remain the sole and absolute property of the Company as legal and equitable owner until the full price for all goods and services supplied is received by the Company.

(ii) Risk in the goods shall pass to the Customer on delivery to the Customer or its agent.

(iii) The Customer irrevocably authorises the Company to repossess any goods supplied by the Company to the Customer, and to take possession of any proceeds therefrom, without any notice if the Customer fails to make any payment when it is due or if in the opinion of the Company the payment of any amount in respect of goods and services supplied by the Company is in jeopardy or the Customer commences to be wound up or is placed in administration or under official management or into liquidation or suffers a receiver or manager to be appointed in respect of any of its assets. For those purposes the Customer, in consideration of credit being given, irrevocably authorises the Company to enter onto any land

or premises of the Customer or to which the Customer has a right of entry. The Company has the right to take or collect any proceeds and to resell any repossessed goods.

(iv) The Customer will prior to attaching any goods onto any land or building notify the owner of the land or building that such goods are subject to this reservation of title clause, except only as provided by law.

(v) On the Company repossessing goods or taking possession of proceeds the Customer's debt to the Company continues and is reduced only by the net amount after costs the Company realises from the proceeds or from the resale of the repossessed goods.

(vi) The Customer releases and indemnifies the Company and its servants or agents from all claims for loss or damage caused by the Company or its servants or agents in enforcing or attempting to enforce its rights under this clause 4, clause 5 or under clause 6.

5. Personal Property Securities Act 2009 (Cth) ("PPSA")

(i) Terms used in the PPSA have the same meaning in clause 4 and in this clause and "section" refers to a provision of the PPSA.

(ii) This clause applies to the Company's security interests in goods it supplies to the Customer and in proceeds derived therefrom.

(iii) The Customer waives its right under section 157(1) to notice of verification of any registration applied for by the Company.

(iv) The Company can apply amounts received from the Customer towards amounts owing by the Customer in any order it chooses.

(v) The Company may enforce its security interests by exercising all or any of its rights under the PPSA, these Terms and Conditions of Sale or general law.

(vi) To the maximum extent permitted under the PPSA the parties contract out of the following sections - 95, 118, 121 (4), 125, 129 (2), 129 (3), 130, 132 (3)(d), 132 (4), 135, 142, 143 and the second sentence of 126 (2).

(vii) The Customer must at its own expense do anything the Company requires of it to ensure the Company's security interest is perfected and has priority, to obtain and maintain registration of the Company's security interests or to enforce those interests.

(viii) The Customer is liable for all fees and other expenses incurred by the Company in registering a security interest in goods supplied to the Customer or in the proceeds derived therefrom, and all costs in maintaining or changing a registration.

6. Caveat

The Customer hereby charges in favour of the Company as security for the Customer's obligations to the Company, all right title and interest in any land held now by the Customer alone or jointly with anyone or acquired by the Customer at any time hereafter as beneficial owner and as trustee of every trust. If the Customer defaults in payment of any amount owed to the Company, the Customer specifically authorises the Company to lodge a caveat against any dealings with any such property and appoints the Company to be the Customer's Attorney for this purpose.

7. Orders & Cancellations

(i) The Company may in its absolute discretion refuse to supply goods or services for any reason whatsoever.

(ii) Should there be any discrepancy between the order by telephone as recorded and processed by the Company and later confirmation in writing by the Customer, the Company's record of telephone order shall prevail.

(iii) Once an order has been accepted by the Company, the Customer can only cancel, vary or suspend the order (whether in whole or in part) if the Company agrees in writing to such cancellation, variation or suspension.

(iv) The Customer agrees to accept delivery of all goods held by the Company or in transit in respect of such order.

(v) The Customer agrees to pay all costs, expenses and liabilities incurred by the Company in consequence of the cancellation, variation or suspension of the order and accepts consequential delay.

ASM TERMS & CONDITIONS OF SALE

(VI) Goods may be supplied by different suppliers than displayed or advertised without notice to the customer. All goods will be of similar quality and serve the same use.

8. Limitation of Liability

(i) The Company may compute an estimate of dimensions and quantities of goods based on plans or other information given by or on behalf of the Customer. The Company does not accept any liability as to the correct computation of any such estimate and the estimate is provided to the Customer as indicative only and the Company is not responsible for any mistakes in the estimate. The Customer undertakes to check any such estimate and in any event accepts full responsibility for the dimensions and quantities of goods ordered as independently computed by the Customer without relying on the estimate.

(ii) The Customer warrants to the Company that it will not rely on representations made and/or advice given by the Company or its employees in connection with the design, dimensions, installations or use of goods sold and agrees that the Company shall not be liable for the consequences of any mistakes in such representation or advice even if made or given negligently.

(iii) It is a condition of sale that any description or specification given by the Company or in printed literature of the Company is for general indicative purposes only and does not render the Company responsible in any way except to the extent that the goods shall comply with the standards set out in such description or specification and that such description or specification shall not be taken as implying or giving any undertaking as to fitness for any particular purpose.

(iv) If goods are required for a particular purpose, the Customer must clearly specify that purpose in writing in the order placed with the Company and obtain written assurance from the Company that the goods when supplied will meet that requirement. If the Customer does not specify the particular purpose and the Company does not expressly undertake in writing that the goods will be fit for the specified purpose, then the Customer agrees that it did not rely on the skill or judgment of the Company in relation to the suitability of the goods for a particular purpose.

(v) The Company shall not be liable for delay in delivery of the goods or delivery of the goods in instalments or failure to deliver due to any cause whatsoever. The Customer shall not be relieved from any obligation to accept or pay for goods by reason of any delay in or the instalment delivery of the goods. In no event shall the Company be responsible for any loss of profits, penalties, disruption, expenditure and/or damages incurred and/or sustained by the Customer due directly or indirectly to because of any delay in or the instalment delivery of the goods.

(vi) Any complaint by the Customer for failure to deliver or delayed delivery must be notified to the Company in writing within three (3) business days of the failure or delay in delivery. The Customer waives, foregoes, abandons and forgives forever any claim whatsoever the Customer may have against the Company unless it has strictly complied with these notification requirements.

(vii) If the goods are delivered by the Company to the Customer in a damaged state or there is short delivery or incorrect or faulty goods are supplied, the Customer must request the Company in writing for their replacement within eight (8) hours of the delivery of the alleged damaged, short supplied, incorrect or faulty goods and the Customer must at the time of the delivery, specify in the delivery docket to be given to the deliverer the nature and extent of the alleged damage, short supply or incorrectness of the goods.

(viii) Any goods returned by the Customer will be held and/or disposed of by the Company on behalf of the Customer unless the return of the goods is preceded by the complaint and the claim in writing as specified in the preceding paragraph. The Customer must facilitate the inspection of the goods by a Company representative prior to the return. The acceptance of any returned goods shall not imply any acceptance by the Company of the Customer's claim.

(ix) Any claim whatsoever against the Company arising in contract

or otherwise howsoever and whether directly or indirectly from the sale and delivery of goods including without limitation for failure to deliver, delayed delivery, short delivery, supply of incorrect goods, damaged goods and/or defective goods shall be limited to the price of the goods which was agreed by the Customer and the Company or in the absence of such agreement a reasonable price therefor confined to the quantity of the goods required to be delivered on the occasion by reference to which the claim arises.

(x) To the fullest extent permitted by law all terms, conditions, guarantees, indemnities and warranties statutory or otherwise ("Obligations") not expressly provided in these Terms and Conditions of Sale are excluded. To the extent that any such Obligation cannot be excluded due to provisions the Competition and Consumer Law 2010 or any other statute and the Customer makes a claim with which the Company accepts or which is proven to be valid, then, to the extent permitted by law, the Company's liability is limited, at the Company's option, to repairing or replacing the relevant goods or cost of repair or replacement.

(xi) The Customer will indemnify the Company for any claims whatsoever and howsoever made by a third party against the Company for any default of the Company or the Customer relating to or directly or indirectly arising from any contract and/or arrangement made between the Company and the Customer or any goods or services provided by the Company to the Customer or by the Customer to a third party.

9. Delivery

(i) Unless agreed otherwise in writing prior to delivery, unloading of all goods shall be the Customer's responsibility and the Company will not be responsible for any damage whatsoever resulting from the unloading of the goods by the Customer or by anyone in its behalf, or by the Company's employee or agent.

(ii) The Customer indemnifies the Company from any claim whatsoever resulting from the Customer, its employee or agent loading goods supplied by the Company on any vehicle or unloading goods supplied by the Company from any vehicle.

(iii) Where goods are delivered to a particular site the goods will be entirely at the Customer's risk when delivered.

(iv) If the cartage contractor or driver is not satisfied that the access to the delivery site is safe the goods will be unloaded at kerbside adjacent to the delivery address.

(v) A quantity, description, date, time and place of delivery as shown on the Company's invoice or delivery docket shall be conclusive evidence of quantity, description, date, time and place of delivery of such goods.

(vi) If the site is unattended goods will be unloaded on the site or of the site is not accessible at the kerbside adjacent to the site and the delivery docket/manifest signed by the cartage contractor or the driver of the Company that the goods were delivered accordingly shall be conclusive evidence of due delivery of the goods.

(vii) The Company if requested to enter a property accepts no responsibility for any damage caused by the Company or its agent.

(viii) A standard delivery charge as published by the Company from time to time in its price list will apply.


(ix) Where trucks are held on a site for more than 1 hour additional costs will apply.

(x) For delivery of lengths over 9 metres the Customer must enquire at time of ordering about additional delivery costs.

(xi) Deferred delivery of goods already manufactured for the Customer will incur storage charge of 0.5% per week of invoice value.

ASM VEHICLE LOADING GUIDE

The drivers vision **MUST NOT** be obstructed




A 300mm square bright flag is required on any overhang that cannot be easily seen and is mandatory over 1200mm.




Secure your Load


Roof racks must be secure.
Max of 40kg.
Check the Lashing Angle, the more upright = the more secure




Avoid low friction surfaces
E.g. Steel on Steel,
Plastic on Plastic,
Plastic on Steel



Min. 2 lashings per stack for items longer than 750mm
Place wood or rubber between items



Never leave extended loads loose
Always secure ends FRONT & BACK



Round & loose loads require belly wrapping and extra restraints

Vehicles considered inappropriate cannot be loaded.
Your safety is our concern.

This information is a guideline only. Compliance with applicable laws and standards remains your responsibility.

ASM BRISBANE DELIVERY MAP, TERMS & CONDITIONS

ASM Brisbane Pty Ltd undertake to deliver either "On Ground at Site" or "On Truck at Site" in accordance with the conditions outlined below:

DELIVERY LENGTH

Lengths up to 9,000mm

Delivered On Ground at Site by a body truck or semi-trailer

Lengths between 9,001mm & 13,500mm

Delivered On Ground at Site by a semi-trailer

Lengths over 13,500mm

Long lengths up to 13,800 may travel on public roads and highways at any time. Lengths between 13,800mm to 20,500mm can travel between daylight and 7 am and from 9 am to 4 pm only. Pilot Vehicles or police escorts must be arranged at the time of order.

DELIVERY AREA

Brisbane Metropolitan Area. Refer to inside back cover for zone breakdown. For all other areas phone (07) 3806 2861.

Escorted Deliveries

All products over 19,000mm require 48 hours notice.

All products from 25,000mm require 7 days notice.

Max. Length for Collections

The schedule applies to the delivery zones only. The maximum length that can be collected from ASM Despatch without any additional transport cost is 12,000mm.

DELIVERY HOURS

Monday to Friday 7 am to 5 pm.

Additional charges will apply to deliveries outside of these hours, on weekends and public holidays.

Delivery allows for a maximum of 1 hour for unloading. After this time additional charges apply at the rate of \$100 per hour.

RE-DELIVERY

Product refused delivery at the original delivery site and requested to be re-delivered will incur a charge over and above the standard charge.

UNATTENDED SITES

ASM Brisbane accepts no responsibility for goods delivered to unattended sites.

EXTRA CHARGES

Delivery of product over 20,500mm length


Long loads may be subject to additional pilot charges. Prices are subject to delivery time. All lengths over 20,500mm must be escorted by a pilot vehicle or the police, depending on the length. Deliveries must reach the delivery site by 7 am. Local regulations will dictate if the vehicle can park on the street or must only park on the site. These regulations must be checked in advance as permits may be required to park on the street.

Timed Drop Deliveries

Deliveries can be booked for a specified time in the metropolitan area only. Additional charges apply. Bookings must be prearranged with ASM Customer Service and availability is limited. Bookings will be allocated on a first-come-first-serve basis.

Where a First Delivery is required it cannot be booked after 12 noon the previous day unless the customer pays for additional taxi-truck costs.

First Delivery time is 7 am. The delivery may occur at any time prior to 7 am, but will not be more than 30 minutes after.



SITE ACCESSIBILITY

Should ASM Brisbane deem that the site is inaccessible it will be the customer's responsibility to nominate an alternative site where the material can be unloaded. To avoid problems where difficult sites exist, ASM recommend the customer request a site inspection prior to delivery. Any extra costs will be passed on to the customer.

PACKAGING

ASM Brisbane's standard pack for roofing and walling is one ton bundles. Please enquire with ASM if special packaging is required. Charges may apply.

Sea Packs

Special metal protective packs must be custom made and require 7 days advance notice prior to standard delivery.

TERMS & CONDITIONS OF SALE

Any sale of the listed goods is subject to ASM Brisbane Pty Ltd General Terms & Conditions of Sale. These are included in this brochure.

PRODUCT RETURNS

Product that has been manufactured or purchased specifically to the purchasers requirements cannot be returned.

Stock items may be returned for credit, subject to the following charges:

- Where goods are returned by the customer a restocking fee of 20% (\$30 minimum) applies.
- Where goods are collected by ASM for return, standard delivery charges plus a restocking fee of 20% (\$30 minimum) applies.

Damaged goods will not be accepted for credit.



21-23 Babb Doyle St, Loganholme QLD 4129

Phone: 07 3209 6119

Email: info@aussiesheetmetal.com.au

ABN 64 122 087 281

All reasonable care has been taken in the compilation of the information contained in this brochure. All recommendations on the use of ASM products are made without guarantee as conditions of use are beyond the control of ASM. It is the customers responsibility to ensure that the product is fit for its intended purpose and that the actual conditions of use are suitable. ASM pursues a policy of continuous development and reserves the right to amend specifications without prior notice. COLORBOND®, ZINCALUME®, GALVSPAN® steels are all registered trademarks of BlueScope Steel Limited.